



# AgriWELL

## SPARES



**Manufacturers & Exporters of:**

**TRACTOR LINKAGE PARTS & AGRICULTURE IMPLEMENTS PARTS**



We are serving the Industry since 1985, we, Agriwell Spares, have achieved expertise in the field of manufacturing and supplying a wide range of tractor linkage parts, agricultural implements parts, trailer parts, forgings & casting components. Backed by vast experience of many years, we have earned great reputation in the market. Our robust manufacturing facility, equipped with latest machines allows us to meet the bulk requirements of the clients within committed time frame and develop qualitative range of Tractor Linkage Parts. Our entire business operations are backed by qualified team of professionals who ensure maximum utilization of the available facilities. Under the able guidance of our founder **S. SUBA SINGH**, his business acumen has helped us establish a favorable position among our clients.

## *Quality Assurance*

We are a quality driven organization & follow rigorous quality measures to meet international quality standards. All our products, once manufactured undergo quality testing in our laboratory & are examined by our quality experts to offer highest level of customer satisfaction. We have set out certain quality policies which are strictly adhered to at all the levels of the manufacturing process. Our products are tested for strength, durability, performance, corrosion resistance, wear and tear, heat, pressure, etc. We always strive to provide the best to our clients in terms of quality and service ability.

## *Team*

Our entire business operations are backed by highly skilled and dedicated employees who work hard to achieve organization's goals and objectives. We have an expert team of professionals that comprises Production Engineers, Technocrats, Researchers, Quality Controllers, Marketing Executives, Packaging Personnel and Customer Care Executives. It is due to their industrial experience and proficiency; we have carved a niche in manufacturing a wide range of Tractor Linkage Parts.

## *Packaging*

All our tractor parts are packed with safety so that they reach the clients in good condition. From small to large all our products are packed in weather proof packages which do not cause any effect on these parts due to moisture, dust or heat. We ensure that each and every product is well protected and safely delivered. Our packaging experts take complete care while each part is packed so that they do not get damaged during the transit process. We provide barcode labels, header card packaging, clamshell packaging or any kind of special packaging as per customer's requirements.

## *Client Satisfaction*

Satisfied clientele proves beneficial for any firm and we feel proud to have a vast base of satisfied clients not only in the national market but also in the international market. Close interaction is maintained with the customers, so that we would be able to have better idea of their needs and demands and we would be able to serve them efficiently. Products before being delivered in the market are tested stringently on various parameters as per customer's requirements. Easy payment modes and timely deliveries are maintained by keeping in mind the customer's convenience.

## *Why Us?*


- Quality products as per customer's requirements
- Wide infra structural facilities
- Modernized CNC-Turning centre / Vertical machining centre / SPM machines
- Highly experienced and proficient employees
- Timely delivery to our customers
- Complete customer satisfaction

# OUR PLANT AND MACHINERY



Linkage Parts


<b>PARTICULARS</b>	<b>Page</b>	<b>PARTICULARS</b>	<b>Page</b>
Ball Mount	42, 43, 44, 45	Lynch Pin Assortments	61
Bent Hitch Pin	32	Lynch Pins	34
Bushing Assortmentss	73	Massey Ferguson Top Links	7
Clevis Pin Assortment	73	Mid-Links	46
Clevis Type Draw Pins	19	Miscellaneous Farm Accessories	54
Cutter Bolt	71	Pin Balls	40
D - Ring	65	Quick Hitch Adaptor Bushings	14
Detent Pins	36, 37	"R" Clip Pin Assortments	73
Double Prong Guards	69, 70	"R" Clip Pins & Twist Pins	33
Drawbars / Swinging Drawbar	16	Raincaps	64
<b>EURO BRACKETS</b>	52	Ratchet Jacks	39
Fabricated & Casted Hub	68	Replacement Balls	13
Farm Clevises	59	Rottary Cutter Wheels	66
Fixed Handle Hitch Pins	23	<b>RING HITCH EYE</b>	47
Foldover Handle Hitch Pins (with Chain & Linch Pin)	26	Safety Pins	33
Foldover Handle Hitch Pins (with Clip)	25	Shaft Set Collars	61
Ford Top Links	6	<b>SPROCKETS</b>	48, 49, 50, 51
Forged Fixed Handle Hitch Pins	24	Stabilizer Arms And Brackets	17
Fork	67	Stabilizer Pins	18
<b>Grab Hook &amp; General Purpose Clevises</b>	60	Steering Wheel Spinner Straight	62
<b>HARROW TEETH</b>	53	Clevises	55
Hitch Ball Assortment	61	Stroke Control For Cylinders	63
Hitch Balls	40	T-handle Clevis Pins	57
Hitch Pin (Blue Handle Plastic Coated)	28	Top Link Assembly	5
Hitch Pin (Grey Handle Plastic Coated)	29	Top Link Ball Sockets	9
Hitch Pin (Red Handle Plastic Coated)	27	Top Link Ends	8
Hitch Pin Double Lock	30	Toplink Pins	21
Hitch Pin Safety Lock	31	Toplink Reducer Bushings	14
Hitch Pins	22	<b>TOWING JAW ASSEMBLY</b>	46
Hydraulic Cylinder Pins	38	Tractor Drawbar Grab Hook	49
JD Top Links	6	Turnbuckle Implement Jack	39
Lashing Clip For D Ring (Forged)	54	Twisted Clevises	56
Lift Arm Ball Sockets	10	Universal Clevis Pins	37
Lift Arm Pins	20	Utility Clevises	58
Lift Arm Reducer Bushings	15	Weld On Ends (Forged)	12
Lift Arms And Parts	11	Wheel Spinner Assortments	72
Locking Pins (PTO Pin) & PTO Accessories	35		



- Quality forged top links available in Category 0, 1, 1 & 2 combination, 2 and 3 sizes.
- All top links are yellow zinc plated unless otherwise specified.
- The ends are clear zinc plated.

Agriwell Part No.	Reference Number	Popular Code	Cat.	Pin Hole ØA (Inches)	Threads B (Inches)	Body Length C (Inches)	Closed Length-Min D (Inches)	Open Length-Max D (Inches)	Color	Package Qty.	Weight (lbs.)
AWTPL9164	—	TL197	0	5/8"	3/4" NC	9-1/2"	13"	18"	Plated	1	2.7
AWTPL9165	87299165	TL199	0	5/8"	3/4" NC	7-5/8"	11"	16"	Plated	1	2.5
AWTPL9166	87299166	TL1630	1	3/4"	1-1/8" NC	13-1/4"	17"	26"	Plated	1	7.4
AWTPL9167	87299167	251163DS	1	3/4"	1-1/8" NC	16"	21"	31"	Blue	1	7.6
AWTPL9168	87299168	TL165	1	3/4"	1-1/8" NC	16"	21"	31"	Plated	1	7.6
AWTPL9170	87299170	9613747DS	1	3/4"	1-1/8" NC	20"	25"	35"	Blue	1	9.1
AWTPL9171	87299171	TL166	1	3/4"	1-1/8" NC	20"	25"	35"	Plated	1	9.1
AWTPL9172	87299172	TL167	1	3/4"	1-1/8" NC	24"	29"	39"	Plated	1	8.9
AWTPL9173	87299173	9624607DS	1 & 2	3/4" & 1"	1-1/8" NC	16"	21"	32"	Blue	1	9.1
AWTPL9174	87299174	TL1670	1 & 2	3/4" & 1"	1-1/8" NC	16"	21"	32"	Plated	1	9.1
AWTPL9175	87299175	B505450	1 & 2	3/4" & 1"	1-1/8" NC	20"	25"	35"	Plated	1	10.1
AWTPL9176	87299176	TL174	2	1"	1-1/8" NC	16"	21"	31"	Plated	1	10
AWTPL9178	87299178	TL176	2	1"	1-1/8" NC	20"	25"	37"	Plated	1	10
AWTPL9179	87299179	TL1730	2	1"	1-1/4" NC	15-3/4"	20"	30"	Plated	1	10.7
AWTPL9180	87299180	TL175	2	1"	1-1/4" NC	16"	23"	32"	Blue	1	13.4
AWTPL9181	87299181	TL1735	2	1"	1-1/4" NC	20"	27"	37"	Plated	1	12.6
AWTPL9183	87299183	TL187	3	1-1/4"	1-3/8" NC	19-1/2"	25-1/2"	37"	Black	1	20


## FORD TOP LINKS



- Forged Eye Bolt, Material C-40.
- Balls (Material C-20, Hardness 52-58 HRC, Case Depth 0.4 - 0.8 mm)
- Tube Powder coated (Optional Colour)
- Trivalent Zinc Plating.


Agriwell Part No.	Popular Code	Cat.	Ball ID $\varnothing A$ (mm)	Ball Length B (mm)	Thread (inches)	Pipe Length C (mm)	Open Length-Min D (mm)	Open Length-Min D (mm)
AWSFD-11442511	S-11878	1	19.05	44	1-1/4" UNC	425	622	794
AWSFD-11442512	S-3630	1, 2	19.05, 25.40	44, 51	1-1/4" UNC	425	622	794
AWSFD-11442522	S-3631	2	25.4	51	1-1/4" UNC	425	622	794
AWSFD-11448522	-	2	25.4	51	1-1/4" UNC	485	685	857

## JD TOP LINKS




- Forged Eye Bolt, Material C-40.
- Balls (Material C-20, Hardness 52-58 HRC, Case Depth 0.4 - 0.8 mm)
- Tube Powder coated (Optional Colour)
- Trivalent Zinc Plating.

Agriwell Part No.	Popular Code	Ball ID $\varnothing A$ (mm)	Ball Length B (mm)	Thread (inches)	Pipe Length C (mm)	Open Length-Min D (mm)	Open Length-Min D (mm)
AWSJD-11832012	S-4261	20, 25.40	44, 51	1-1/8" UNC	320	550	760



- Forged Eye Bolt, Material C-40.
- Balls (Material C-20, Hardness 52-58 HRC, Case Depth 0.4 - 0.8 mm)
- Tube Powder coated (Optional Colour)
- Trivalent Zinc Plating.


Agriwell Part No.	Popular Code	Cat.	Ball ID ØA (mm)	Ball Length B (mm)	Thread (inches)	Pipe Length C (mm)	Open Length-Min D (mm)	Open Length-Min D (mm)
AWSMF-111643811	S-584	1	19.05	44	1-1/16"UNF	438	590	750
AWSMF-111647611	S-585	1	19.05	44	1-1/16"UNF	476	610	770
AWSMF-111654611	S-586	1	19.05	44	1-1/16"UNF	546	670	830
AWSMF-111654622	S-587	2	25.4	51	1-1/16"UNF	546	670	830
AWSMF-111654612	S-588	1, 2	19.05, 25.40	44, 51	1-1/16"UNF	546	670	830
AWSMF-111647612	S-589	1, 2	19.05, 25.40	44, 51	1-1/16"UNF	476	610	770
AWSMF-111647622	S-16066	2	25.4	51	1-1/16"UNF	476	610	770
AWSMF-111643812	S-16521	1, 2	19.05, 25.40	44, 51	1-1/16"UNF	438	590	750
AWSMF-111643822	S-16522	2	25.4	51	1-1/16"UNF	438	590	750



- Forged Eye Bolt, Material C-40.
- Balls (Material C-20, Hardness 52-58 HRC, Case Depth 0.4 - 0.8 mm)
- Tube Powder coated (Optional Colour)
- Trivalent Zinc Plating.



Agriwell Part No.	Popular Code	Cat.	Ball ID ØA (mm)	Ball Length B (mm)	Thread (inches)	Pipe Length C (mm)	Open Length-Min D (mm)	Open Length-Min D (mm)
AWSMF-11452722	S-15347	2	25.4	51	1-1/14"UNC	527	680	870

# TOP LINK ENDS



- Forged and welded screw-in repair ends for Category 0, 1, 2 and 3 top links.
- Clear zinc plated.



Agriwell Part No.	Reference Number	Popular Code	Cat.	Type	Pin Hole ØA (Inches)	Thread ØB (Inches)	Thread Length C (Inches)	Overall Length D (Inches)	Package Qty.	Weight (lbs.)
AWTLE9186	—	RE1934	0	Forged	5/8"	3/4" NC (RH)	3-1/2"	6"	1	0.8
AWTLE9187	—	RE1933	0	Forged	5/8"	3/4" NC (LH)	3-1/2"	6"	1	0.8
AWTLE9188	87299188	RE1619	1	Forged	3/4"	1-1/8" NC (LH)	6"	8-3/4"	1	2.4
AWTLE9189	87299189	RE1620	1	Forged	3/4"	1-1/8" NC (RH)	6"	8-3/4"	1	2.4
AWTLE9190	87299190	RE1717	2	Forged	1"	1-1/4" NC (LH)	5-1/2"	10"	1	3
AWTLE9191	87299191	RE1718	2	Forged	1"	1-1/4" NC (RH)	5-1/2"	10"	1	3
AWTLE9192	87299192	RE1640	2	Forged	1"	1-1/8" NC (RH)	6-1/2"	11"	1	3
AWTLE9193	87299193	RE1641	2	Forged	1"	1-1/8" NC (LH)	6-1/2"	11"	1	3
AWTLE9194	87299194	RE1826	3	Forged	1-1/4"	1-3/8" NC (RH)	7-1/4"	12-1/8"	1	8
AWTLE9195	87299195	RE1827	3	Forged	1-1/4"	1-3/8" NC (LH)	7-1/4"	12-1/8"	1	8
AWTLE9196	—	RE113	0	Forged	3/4"	1" NC (LH)	5-1/2"	8"	1	1.8
AWTLE9197	—	RE114	0	Forged	3/4"	1" NC (RH)	5-1/2"	8"	1	1.8



- Weld-on top link ball sockets to fit Category 0 through Category 3 tractors.
- Available in black oxide and yellow zinc dichromate plated versions.

Agriwell Part No.	Reference Number	Popular Code	Description	Cat.	Pin Hole ØA (Inches)	Length Thru Bore B (Inches)	Sleeve Width C (Inches)	Sleeve O.D. ØD (Inches)	Package Qty.	Bulk Weight (lbs.)
AWBS600E	9424600E	B213	Standard duty, black oxide	1	3/4"	1-5/8"	3/4"	2"	2	0.6
AWBS601E	9424601E	B211	Standard duty, black oxide	2	1"	1-3/4"	7/8"	2-3/8"	2	0.8
AWBS602E	9424602E	B2219	Heavy duty, black oxide	2	1"	1-3/4"	1-3/16"	2-3/4"	2	1.8
AWBS603E	9424603E	B2229	Standard duty, black oxide	3	1-1/4"	1-3/4"	1-9/32"	3-1/8"	2	1.8
AWBS212E	SPC212E	B212	Heavy duty, black oxide	1	3/4"	1-5/8"	7/8"	2-1/8"	2	0.7
AWBS214E	SPC214E	B214	Standard duty, plated	2	1"	1-3/4"	7/8"	2-3/8"	2	0.8
AWBS215E	SPC215E	B215	Heavy duty, plated	1	3/4"	1-5/8"	7/8"	2-1/8"	2	0.7
LWBS216E	SPC216E	B216	Standard duty, plated	1	3/4"	1-5/8"	3/4"	2"	2	0.6
AWBS225E	SPC225E	B225	Extra heavy duty, black oxide	1	3/4"	1-3/8"	7/8"	2-3/8"	2	0.9
AWBS227E	SPC227E	B227	Standard duty, black oxide	2	1"	1-1/4"	7/8"	2-3/8"	2	0.8
AWBS228E	SPC228E	B228	Standard duty, plated	2	1"	1-1/4"	7/8"	2-3/8"	2	0.8
AWBS235E	SPC235E	B235	Standard duty, black oxide	1 & 2	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	2	0.6

# LIFT ARM BALL SOCKETS



- Weld-on lift arm ball sockets to fit Category 0 through Category 3 tractors.
- Available in black oxide and yellow zinc dichromate plated versions.

Agriwell Part No.	Reference Number	Popular Code	Description	Cat.	Pin Hole $\varnothing A$ (Inches)	Length Thru Bore B (Inches)	Sleeve Width C (Inches)	Sleeve O.D. $\varnothing D$ (Inches)	Weight (lbs.)
AWBS596E	9624596E	B2225	Standard duty, black oxide	0	5/8"	1"	3/4"	2"	0.6
AWBS597E	9624597E	B221	Standard duty, black oxide	1	7/8"	1-3/8"	7/8"	2-3/8"	0.9
AWBS598E	9624598E	B2215	Extra heavy duty, black oxide	2	1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.9
AWBS599E	9624599E	B2231	Standard duty, black oxide	3	1-7/16"	1-3/4"	1-11/32"	3-1/2"	2.4
AWBS222E	SPC222E	B222	Standard duty, plated	2	1-1/8"	1-5/16"	15/16"	2-3/8"	0.8
AWBS223E	SPC223E	B223	Standard duty, plated	1	7/8"	1-3/8"	7/8"	2-3/8"	0.9
AWBS224E	SPC224E	B224	Standard duty, plated	2	1-1/8"	1-5/16"	15/16"	2-3/8"	0.8
AWBS231E	SPC231E	B231	Heavy duty, black oxide	1 & 2	7/8" & 1-1/8"	1-3/4" both	1-3/16"	2-3/4"	1.4
AWBS232E	—	B232	Heavy duty, plated	1 & 2	7/8" & 1-1/8"	1-3/4" both	1-3/16"	2-3/4"	1.4
AWBS233E	SPC233E	B233	Extra heavy duty, black oxide	1 & 2	7/8" & 1-1/8"	1-3/4" both	1-3/8"	3-1/8"	1.7
AWBS2211E	—	B2211	Heavy duty, plated	2	1-1/8"	1-3/4"	1-1/4"	2-3/4"	1.6
AWBS2216E	SPC2216E	B2216	Extra heavy duty, plated	2	1-1/8"	1-3/4"	1-3/8"	3-1/8"	1.9
AWBS2232E	—	B2232	Standard duty, plated	3	1-7/16"	1-3/4"	1-11/32"	3-1/2"	2.4



Lift Arm End

➤ Category 1 lift arms and leveling assembly.

Agriwell Part No.	Reference Number	Popular Code	Description	Package Qty.	Weight (lbs.)
AWLA335	87299729	LA335 ECON9N555BDS	Category 1 right- or left-hand forged lift arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, Massey-Ferguson 35, 50, Oliver 550 and Oliver 3-point conversion, John Deere 1010; 7/8" pin holes; 31-3/4" ball centers; 34-1/2" overall length	1	11.7
AWLA331	—	LA331	Replaced by La335	1	11.7
AWLA3320	—	LA3320	Category 1 forged right hand lift arm repair end; 7/8" pin hole; 5-3/4" overall length	1	2.2
AWLA3321	—	LA3321	Category 1 forged left hand lift arm repair end; 7/8" pin hole; 5-3/4" overall length	1	2.2
AWLA3322	—	LA3322	Category 1 forged right or left hand straight lift arm repair end; 7/8" pin hole; 4" overall length	1	1.6
AWLA3323	—	LA3323	Category 1 forged bent lift arm repair end; 7/8" pin hole; 5-3/8" overall length	1	2.0
AWLA3324	—	LA3324	Category 2 forged bent lift arm repair end; 1-1/8" pin hole; 5-1/2" overall length	1	2.7
AWLA3325	—	LA3325	Category 2 forged right or left straight lift arm repair end; 1-1/8" pin hole; 5" overall length	1	2.8
AWLA3330	—	LA3330	Category 3 forged straight lift arm repair end: 1-7/16" pin hole: 5-3/8" overall length	1	3.0
AWSL152	87299731	SL152 ECON577ABDS	Category 1 lift arm leveling assembly; 18-1/2" closed; 25" open length; 7/8" NF thread diameter; replaces Ford NCA577A; left hand repair end no. RE158; right hand repair end no. Re159	1	6.0



Toplink End






Straight





Bent

Lift Arm End



- High-quality, weld-on top link and lift arm ball sockets in Category 1, 2, and 3 sizes.
- Lift arm ends are available in straight and bent styles.


Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Dim A (Inches)	Dia ØB (Inches)	Dim C (Inches)	Dim D (Inches)	Dim E (Inches)	Dim F (Inches)	Package Qty.	Weight (lbs.)
AWWOE9198	87299198	RE1642	1	Top link end	2"	3/4"	1-1/8"	2-1/4"	1/2"	1-3/4"	1	0.9
AWWOE9199	87299199	RE1643	2	Top link end	2-3/8"	1"	1-1/8"	2-5/8"	1/2"	2"	1	1.4
AWWOE9200	87299200	LA3322	1	Lift arm end-straight	2-3/4"	7/8"	2-3/8"	2-5/8"	5/8"	1-3/8"	1	1.7
AWWOE9201	87299201	LA3325	2	Lift arm end-straight	3-1/8"	1-1/8"	2-3/4"	3-1/8"	3/4"	1-3/4"	1	2.8
AWWOE9204	87299204	LA3323	1	Lift arm end-bent	4"	7/8"	1-7/8"	2-5/8"	5/8"	1-3/8"	1	2.0
AWWOE9205	87299205	LA3324	2	Lift arm end-bent	4"	1-1/8"	1-7/8"	3-1/8"	5/8"	1-3/4"	1	2.7
AWWOE9206	87299206	LA3330	3	Lift arm end-straight	3-3/8"	1-7/16"	3"	3-1/2"	3/4"	1-3/4"	1	3.0
AWWOE9207	-	LA3320	1	Right Hand Lift Arm Repair End	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/8"	1	2.0
AWWOE9208	-	LA3321	1	Left Hand Lift Arm Repair End	4-3/8"	7/8"	1-13/16"	2-5/8"	5/8"	1-3/8"	1	2.0



- Top link and lift arm balls for Ford, John Deere, Oliver and other tractors.
- Designed to replace original balls.
- Yellow zinc dichromate plating.

Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Pin Hole ØA (Inches)	Length Thru Bore B (Inches)	Ball Dia ØC (Inches)	Package Qty.	Weight (lbs.)
AWRBL9734	87299734	B241	1	John Deere & Oliver top link ball; replaces Deere F2680, Oliver 105968A	3/4"	1-3/4"	2"	1	0.9
AWRBL9735	87299735	B242	2	John Deere & Oliver top link ball; replaces Deere F2681, Oliver 104585A	1"	1-3/4"	2"	1	0.8
AWRBL9736	87299736	B243	1	Ford lift arm ball; replaces Ford DDN995233; fits Ford 3000 and 4000	7/8"	1-3/8"	2-1/4"	1	1.1
AWRBL9737	87299737	B244	2	Ford lift arm ball; replaces Ford C5NN557A; fits Ford 5000	1-1/8"	1-3/4"	2-1/4"	1	1.1
AWRBL9738	87299738	B245	1	Oliver lift arm ball; replaces Oliver 105967A; fits models with claw-type lift arm	7/8"	1-3/8"	2"	1	0.7
AWRBL9739	87299739	B246	2	Oliver lift arm ball; replaces Oliver 104591A; fits all models with claw-type lift arm	1-1/8"	1-3/4"	2"	1	0.8
AWRBL9740	87299740	B247	2	Ford lift arm ball; narrow width; replaces C5NN557B	1-1/8"	1-3/8"	2-1/4"	1	0.9
AWRBL2686	81822686	--	2	Ford lift arm ball; heat treated, replaces C5NN557BDS	1-1/8"	1-3/8"	2-1/4"	1	0.9
AWRBL9741	-	B248	1	Deere Leveling arm ball; replaces T21901	3/4"	1-3/8"	1-13/16"	1	0.6

# TOPLINK REDUCER BUSHINGS



- Used in the pin hole of a top link to allow a smaller Category pin to fit.
- Yellow zinc dichromate plating.


Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Outside Dia ØA (Inches)	Inside Dia ØB (Inches)	Length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWTRB9208	87299208	B829	0-1	Fits all Category 0 top link pins	3/4"	5/8"	1-5/8"	5	0.1
AWTRB9209	87299209	B831	1-2	Fits all Category 1 top link pins; replaces Ford C7NN6993A	1"	3/4"	1-15/16"	5	0.2
AWTRB9210	87299210	B8220	1-2	Fits all Category 1 top link pins; short	1"	3/4"	1-5/8"	5	0.2
AWTRB9211	87299211	B833	2-3	Fits all Category 2 top link pins	1-1/4"	1"	1-15/16"	5	0.2

# QUICK HITCH ADAPTOR BUSHINGS



- Yellow zinc dichromate plating.


Agriwell Part No.	Popular Code	Cat.	Description	Inside Dia (Inches)	Length (Inches)	Weight (lbs)
AWS141142	HF141142	1	Adapter bushing for cat. 1 Quick Hitch	7/8"	4"	1.5
AWS141127	HF141127	2	Adapter bushing for cat. 2 Quick Hitch	1-1/8"	4"	1



- Used in the pin hole of a lift arm to allow a smaller Category pin to fit.
- Yellow zinc dichromate plating.

Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Outside Dia ØA (Inches)	Inside Dia ØB (Inches)	Length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWLRB9214	87299214	B828	0-1	Fits all Category 0 lift arm pins	7/8"	5/8"	1-3/8"	5	0.1
AWLRB9215	87299215	B821	1-2	Fits all Category 1 lift arm pins; Ford C7NN6992A	1-1/8"	7/8"	1-3/4"	5	0.2
AWLRB9216	87299216	B8221	1-2	Fits all Category 1 lift arm pins; replaces John Deere F2684	1-1/8"	7/8"	1-3/8"	5	0.2
AWLRB9217	87299217	B832	2-3	Fits all Category 2 lift arm pins	1-7/16"	1-1/8"	1-3/4"	5	0.3
AWLRB9218	87299218	B8320	2-3	Fits all Category 2 lift arm pins; extra long	1-7/16"	1-1/8"	3-1/4"	5	0.5
AWLRB9219	87299219	B8312	2-3	Fits all Category 2 lift arm pins; 15/32" lynch pin hole	1-7/16"	1-1/8"	2-1/2"	5	0.4
AWLRB9220	87299220	B8319	2-3	Fits all Category 2 lift arm pins	1-7/16"	1-1/8"	2-3/4"	5	0.5
AWLRB9221	HF141142	14042 6	1	Adaptor Bushing for Cat1 Quick Hitch	–	7/8"	4"	5	1.5
AWLRB9222	HF141144	14044 4	1	Quick Hitch Adaptor Bushing Kit	–	7/8"	4"	5	3.0
AWLRB9223	HF141127	14027 7	2	Adaptor Bushing for Cat 2 Quick Hitch	–	1-1/8"	4"	5	1.0
AWLRB9224	HF141130	14030 7	2	Quick Hitch Adaptor bushing kit	–	1-1/8"	4"	5	2.2

# DRAWBARS / SWINGING DRAWBAR



➤ One-piece 3-point hitch cross drawbars to fit Category 0 through Category 3 tractors.


Aariwell Part No.	Reference Number	Popular Code	Cat.	No. Of Holes	Lift Arm Spacing A (Inches)	Hole Dia $\varnothing$ B (Inches)	Pin Dia $\varnothing$ C (Inches)	Thickness D (Inches)	Width E (Inches)	Color	Package Qty.	Weight (lbs.)
AWDB9225	—	DB418	0	7	20"	5/8"	5/8"	5/8"	2"	Red	1	6.8
AWDB9226	87299226	DB419	0/1	7	20"	3/4"	7/8"	1"	2-1/2"	Black	1	13.5
AWDB9227	87299227	DB411	1	11	26"	3/4"	7/8"	1"	2-1/2"	Blue	1	16.4
AWDB9228	87299228	B500236	1	11	26"	3/4"	7/8"	1"	2-1/2"	Black	1	16.4
AWDB9232	87299232	DB421	2	11	26"	3/4"	1-1/8"	1-1/4"	3"	Blue	1	27
AWDB9233	87299233	B500237	2	11	26"	3/4"	1-1/8"	1-1/4"	3"	Black	1	27
AWDB9236	87299236	DB422	2	13	32"	3/4"	1-1/8"	1-1/4"	3"	Blue	1	33
AWDB9237	87299237	DB4212	2	13	32"	3/4"	1-1/8"	1-1/4"	3"	Black	1	33
AWDB9239	87299239	DB431	3	5	38"	1-1/4"	1-7/16"	1-3/4"	3-1/2"	Black	1	65
AWDB9240	87299240	DB4130	1	Drawbar lock						Black	1	4
AWSD9745	87299745	SD921		Swinging drawbar, fits Ford 2N, 8N, 9N, NAA, 630, 631, 640, 641, 650, 651, 660 and 661, Ferguson TO20, TP030, Massey Ferguson 35 and 50, 30" overall length, 3/4" first hitch pin hole, 5/8" second hitch pin hole.						Black	1	16



AWDB9240




AWSD9745



- Replacement stabilizer arms for stabilizer kits and a variety of tractors.
- Stabilizer arms increase the stability of the tractor lift arms.
- Stay straps for Category 1 tractors are used to maintain an implement at a set height.

Agriwell Part No.	Reference Number	Popular Code	Description	Package Qty.	Weight (lbs.)
AWSAB9243	87299243	DS511	Upper stay strap for Category 1; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 and all Oliver 3-point conversions, Massey-Ferguson 35 and 50	1	2.8
AWSAB9244	87299244	DS512	Lower stay strap for Category 1; fits all Ferguson models. Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 and all Oliver 3-point conversions, Massey-Ferguson 35 and 50	1	2.4
AWSAB9246	87299246	SA621	Right or left universal stabilizer arm; 7/8" pin holes on 31-9/16" centers	1	6.0
AWSAB9247	87299247	SA622	Right or left universal stabilizer arm; replaces Massey-Ferguson ST96362358; 7/8" pin holes on 33-1/8" centers	1	6.4
AWSAB9249	87299249	SA6260	Heavy-duty adjustable forged stabilizer arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, Massey-Ferguson 35, 50, 175, 65, 135, 150, 165, 180; adjustable from 28-1/2" to 36" ; 7/8" pin holes; 7/8" NF threads	1	6.0
AWSAB9252	87299252	SA6251	Left stabilizer arm; fits Ford 2000 and 3000; 7/8" pin holes on 31-5/8" centers	1	6.0
AWSAB9253	87299253	SA6252	Right stabilizer arm; fits Ford 2000 and 3000; 7/8" pin holes on 31-5/8" centers	1	6.0
AWSAB9254	87299254	SA6256	Universal stabilizer arm; 7/8" pin holes on 31-9/16" and 33-1/8" centers; 3 hole	1	6.1
AWSAB9256	87299256	SB631	Right or left universal stabilizer bracket; Ferguson and Ford stabilizer kits; accommodates 87299259 (251406FDS) stabilizer stub pin	1	3.0
AWSAB9750	87299750	SPC6040300FDS	Pair of universal stabilizer chains for most Category 1 applications; yellow zinc plated	1	14.0

# STABILIZER PINS



- Stabilizer stub pins for Ford, Ferguson and other stabilizer kits.
- Yellow zinc dicromate plated.

Agriwel Part No.	Reference Number	Popular Code	Description	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Thread Dia ØD (Inches)	Package Qty.	Bulk Weight (lbs.)
AWSP9259	87299259	P781	Replaces Ford 230044, Massey-Ferguson 18177M1	7/8"	3/8"	2-5/8"	5/8" NF	5	0.39
AWSP9261	87299261	P785	Replaces Ford 141185, Massey-Ferguson MF668154M1	7/8"	1-1/4"	3-1/8"	5/8" NF	5	0.40
AWSP9262	87299262	P787	Stabilizer stub pin	7/8"	1/2"	2-5/8"	5/8" NF	5	0.30
AWSP9263	87299263	P788	Replaces MF186802M1	7/8"	11/16"	3-1/8"	3/4" NF	5	0.40
AWS	—	P711		7/8"	1/2"	3-1/4"	7/8" NF	5	0.80




Head Type



Roll pin type



Categories 2 and 3



- For use with implements with yoke type mountings.
- All pins are yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Cat.	Type	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWCP9294	87299294	P7234	1	Roll Pin	7/8"	4-1/2"	6"	1	0.9
AWCP9295	87299295	P7235	2	Roll Pin	1-1/8"	3-5/16"	4-3/4"	2	1.2
AWCP9296	87299296	P7236	2	Roll Pin	1-1/8"	4-3/4"	6-1/2"	1	1.7
AWCP9297	87299297	P7237	2	Roll Pin	1-1/8"	5-3/8"	7"	2	1.9
AWCP9298	87299298	P7238	2	Roll Pin	1-1/8"	7-3/8"	9"	1	2.4
AWCP9299	87299299	P7239	2	Roll Pin	1-1/8"	9"	10-3/4"	2	2.9
AWCP9300	87299300	P7230	3	Head	1-7/16"	4-11/16"	6"	1	2.8
AWCP9301	87299301	P7710	3	Roll Pin	1-7/16"	3-3/8"	5-3/8"	2	2.3
AWCP9302	87299302	P7231	3	Roll Pin	1-7/16"	6-1/4"	8-1/2"	2	3.8
AWCP9303	87299303	P7250	2 & 3	Head	1-1/8" & 1-7/16"	3-5/8" & 4-1/4"	9-1/4"	1	3.4

# LIFT ARM PINS



- Forged and adjustable Category 0 through 3 draw pins for a variety of applications.
- All pins are yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Pin Dia (Inches)	Usable Length (Inches)	Overall length (Inches)	Thread Length (Inches)	Thread Dia (Inches)	Package Qty.	Weight (lbs.)
AWLAP9266	87299266	P7220	0	Adjustable	5/8"	Adjustable	3-7/8"	2"	5/8" NF	1	0.4
AWLAP9267	—	P7228	0	Forged, Universal	5/8"	1-7/16"	3-7/8"	1-1/8"	5/8" NF	1	0.4
AWLAP9268	87299268	P7221	0 to 1	Adjustable	7/8"	1-3/4"	4-1/2"	1-1/8"	5/8" NF	5	0.6
AWLAP9269	87299269	P7224	1 to 0	Adjustable	5/8"	2"	5"	2"	7/8" NF	5	0.6
AWLAP9270	87299270	P722	1	Adjustable	7/8"	Adjustable	5"	2-1/4"	7/8" NF	1	1.1
AWLAP9272	87299272	P728	1	Forged	7/8"	1-3/4"	5-1/2"	2-5/8"	7/8" NF	1	1.1
AWLAP9274	87299274	P7219	1	Adjustable; extra long	7/8"	Adjustable	6-1/4"	1-5/8"	7/8" NF	1	1.3
AWLAP9275	87299275	P7245	1	Forged; extra long	7/8"	2-1/4"	6-1/2"	3-1/2"	7/8" NF	1	1.3
AWLAP9277	87299277	P7244	1	Forged	7/8"	2-3/4"	5-1/8"	2-1/4"	5/8" NF	5	0.9
AWLAP9278	87299278	P7247	1	Forged	7/8"	2"	5"	1-3/8"	5/8" NF	1	0.9
AWLAP9279	87299279	P7248	1	Forged	7/8"	1-3/4"	4-1/2"	1-1/2"	5/8" NF	1	0.8
AWLAP9280	87299280	P7246	1 to 2	Forged	1-1/8"	2-1/4"	6-5/16"	5/8"	7/8" NF	1	1.5
AWLAP9281	87299281	P724	1 to 2	Adjustable	1-1/8"	Adjustable	5-1/4"	2-1/4"	7/8" NF	1	1.4
AWLAP9282	87299282	P7240	1 to 2	Forged	1-1/8"	1-13/16"	5-1/4"	2-7/16"	7/8" NF	1	1.5
AWLAP9283	87299283	P7249	1 & 2	Forged	1-1/8" & 7/8"	2-1/16" both	8"	1-5/8"	1" NF	1	1.9
AWLAP9284	87299284	P721	2	Adjustable	1-1/8"	Adjustable	6-1/8"	1-1/4"	1-1/8" NF	1	2.3
AWLAP9285	87299285	P729	2	Adjustable; extra long	1-1/8"	Adjustable	7-1/2"	3-3/8"	1-1/8" NF	5	2.6
AWLAP9286	87299286	P7212	2	Forged	1-1/8"	1-3/4"	6-1/8"	4-1/2"	1-1/8" NF	1	2.3
AWLAP9288	87299288	P726	2 to 1	Forged	7/8"	1-3/4"	5-3/4"	2-3/8"	1-1/8" NF	1	1.8
AWLAP9289	87299289	P7211	2 to 3	Adjustable	1-7/16"	Adjustable	6-1/2"	2-3/8"	1-1/8" NF	3	2.9
AWLAP9290	87299290	P7243	2 to 3	Forged	1-7/16"	1-7/8"	5-3/4"	3-3/8"	1-1/8" NF	1	3.0
AWLAP9291	87299291	P7229	3	Forged	1-7/16"	2"	5-7/8"	1-1/2"	1-3/8" NF	1	3.5



➤ Sizes and styles for Category 0 through 3 tractors.  
 ➤ Yellow zinc dichromate plated.



Agriwell Part No.	Reference Number	Popular Code	Cat.	Description	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWTLP9306	87299306	P776	0	Top link pin	5/8"	3"	4-7/16"	5	0.4
AWTLP9307	87299307	P771	1	Replaces Ford 9N-560, Ferguson 195647M1	3/4"	2-3/4"	4-1/2"	5	0.5
AWTLP9309	87299309		1	Top link pin	3/4"	3"	5-1/4"	5	
AWTLP9310	87299310	P772	1	Long top link pin; replaces Ferguson 195589M1, AC339942	3/4"	3-7/8"	5-1/2"	5	0.6
AWTLP9321		P773	1	Top link pin	3/4"	4-5/8"	6-3/8"	5	0.8
AWTLP9313	87299313	P7715	1	Extra-long top link pin; replaces Ford E381T9	3/4"	4-3/4"	6-3/8"	5	0.8
AWTLP9314	87299314	P7716	2	Replaces Ford C5NN560A, MF185873M91, AC2090149/239888	1"	3-9/16"	5-1/4"	5	1.2
AWTLP9315	87299315	P7719	2	Replaces Ford E27N995272	1"	3"	4-3/4"	5	1.1
AWTLP9316	87299316	P774	2	Replaces Ford C5NN486A	1"	4-3/8"	6"	5	1.3
AWTLP9318	87299318	P7720	2	Replaces Ford E2016F9, AC345552	1"	5-3/8"	7-1/16"	5	1.5
AWTLP9319	87299319	B500182	2	Top link pin	1"	4-1/4"	6-1/8"	5	
AWTLP9320	87299320	P7711	3	Top link pin	1-1/4"	4-5/8"	6-1/2"	5	2.1

# HITCH PINS



- An economy hitch pin (clevis pin) for numerous applications.
- Yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia $\varnothing A$ (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Weight (lbs.)
AWHP9720	87299720	P7100	1/2"	5"	6-3/8"	1	0.4
AWHP9721	87299721	P7101	5/8"	5"	6-3/8"	1	0.6
AWHP9722	87299722	P7102	3/4"	5"	6-3/8"	1	0.8
AWHP9723	87299723	P7103	7/8"	5"	6-3/8"	1	1.0
AWHP9724	87299724	P7104	1"	5"	6-3/8"	1	1.4
AWHP9725	87299725	P7105	1-1/8"	5"	6-3/8"	1	1.7



- Forged-head hitch pin with fixed handle and zinc plated "R" clip pin.
- More than 25% stronger than Grade 2.
- Yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWFHP9754	87299754	P71011WC	1/2"	4-1/4"	5-1/4"	1	0.4
AWFHP9755	87299755	P71021WC	5/8"	4-1/4"	5-1/4"	1	0.6
AWFHP9756	87299756	P71022WC	5/8"	6-1/4"	7-1/4"	1	0.8
AWFHP9757	87299757	P71031WC	3/4"	4-1/4"	5-1/2"	1	1.1
AWFHP9758	87299758	P71032WC	3/4"	6-1/4"	7-1/4"	1	1.1
AWFHP9759	87299759	P71041WC	7/8"	4-1/4"	5-1/4"	1	1.2
AWFHP9760	87299760	P71042WC	7/8"	6-1/4"	7-1/4"	1	1.4
AWFHP9761		P71051WC	1"	4-1/4"	5-1/4"	1	1.8
AWFHP9762	87299762	P71052WC	1"	6-1/4"	7-1/4"	1	2.0
AWFHP9763	87299763	P71062WC	1-1/8"	6-1/4"	7-1/4"	1	2.2

# FORGED FIXED HANDLE HITCH PINS



- One-piece, drop-forged, Grade 5 performance hitch pins are made from high-strength steel and heat treated.
- Zinc plated "R" clip pin included.
- Yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Handle	Package Qty.	Weight (lbs.)
AWDFHP9796	—	P700204	7/16"	3-1/2"	5-11/32"	wire	1	0.3
AWDFHP9797	87299797	P700211	1/2"	3-1/2"	5-11/32"	wire	1	0.4
AWDFHP9798	87299798	P700321	5/8"	3-3/4"	6-15/16"	solid	1	0.6
AWDFHP9799	87299799	P700322	5/8"	6"	9-3/16"	solid	1	0.8
AWDFHP9800	87299800	P700331	3/4"	4"	7-7/16"	solid	1	0.9
AWDFHP9801	87299801	P700332	3/4"	6-1/4"	9-7/16"	solid	1	1.2
AWDFHP9802	87299802	P700341	7/8"	4-1/4"	7-3/4"	solid	1	1.2
AWDFHP9803	87299803	P700342	7/8"	6-1/2"	10-11/16"	solid	1	1.7
AWDFHP9804	87299804	P700351	1"	4-3/4"	8-17/32"	solid	1	1.6
AWDFHP9805	87299805	P700352	1"	6-3/4"	10-17/32"	solid	1	2.2
AWDFHP9806	87299806	P700362	1-1/8"	7"	11"	solid	1	2.8
AWDFHP9807	87299807	P700372	1-1/4"	7"	11-1/8"	solid	1	3.6
AWDFHP9808	87299808	P700382	1-3/8"	7"	11-27/32"	solid	1	4.6
AWDFHP9809	87299809	P700392	1-1/2"	8"	12-23/32"	solid	1	6.6



- Forged-head hitch pin with Foldover handle and zinc plated "R" clip pin.
- More than 25% stronger than Grade 2.
- Yellow zinc dichromate plated.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWSHPC9323	87299323	P71010C	3/8"	4-1/4"	4-3/4"	1	0.2
AWSHPC9324	87299324	P71011C	1/2"	4-1/4"	5-3/4"	1	0.4
AWSHPC9325	87299325	P71012C	1/2"	6-1/4"	7-3/4"	1	0.5
AWSHPC9326	87299326	P71021C	5/8"	4-1/4"	5-3/4"	1	0.6
AWSHPC9327	87299327	P71022C	5/8"	6-1/4"	7-3/4"	1	0.8
AWSHPC9328	87299328	P71031C	3/4"	4-1/4"	5-3/4"	1	0.9
AWSHPC9329	87299329	P71032C	3/4"	6-1/4"	7-3/4"	1	1.1
AWSHPC9330	87299330	P71041C	7/8"	4-1/4"	5-3/4"	1	1.2
AWSHPC9331	87299331	P71042C	7/8"	6-1/4"	7-3/4"	1	1.4
AWSHPC9332	87299332	P71051C	1"	4-1/4"	5-3/4"	1	1.5
AWSHPC9333	87299333	P71052C	1"	6-1/4"	7-3/4"	1	1.9
AWSHPC9334	87299334	P71062C	1-1/8"	6-1/4"	7-3/4"	1	2.4
AWSHPC9335	87299335	P71072C	1-1/4"	6-1/4"	7-3/4"	1	2.9

# FOLDOVER HANDLE HITCH PINS (WITH CHAIN & LYNCH PIN)



- Forged-head hitch pin with Foldover handle and zinc plated chain and 1/4" lynch pin.
- More than 25% stronger than Grade 2.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWHPCL9338	87299338	P71011CL	1/2"	4-1/4"	5-3/4"	1	0.5
AWHPCL9339	87299339	P71012CL	1/2"	6-1/4"	7-3/4"	1	0.6
AWHPCL9340	87299340	P71021CL	5/8"	4-1/4"	5-3/4"	1	0.7
AWHPCL9341	87299341	P71022CL	5/8"	6-1/4"	7-3/4"	1	0.9
AWHPCL9342	87299342	P71031CL	3/4"	4-1/4"	5-3/4"	1	1.0
AWHPCL9343	87299343	P71032CL	3/4"	6-1/4"	7-3/4"	1	1.2
AWHPCL9344	87299344	P71042CL	7/8"	6-1/4"	7-3/4"	1	1.6
AWHPCL9345	87299345	P71052CL	1"	6-1/4"	7-3/4"	1	2.0
AWHPCL9346	87299346	P71062CL	1-1/8"	6-1/4"	7-3/4"	1	2.5
AWHPCL9347	87299347	P71072CL	1-1/4"	6-1/4"	7-3/4"	1	3.0




- Designed for today's demanding applications, these one-piece, Grade 5 performance, forged hitch pins are made from high-strength steel and heat treated.
- Pin has black powder coating with a red vinyl coated head and handle.
- Zinc plated "R" clip pin included.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Weight (lbs.)
AWHPR9350	87299350	P700511	1/2"	3-5/8"	6-5/8"	1	0.7
AWHPR9351	87299351	P700521	5/8"	4"	7"	1	0.9
AWHPR9352	87299352	P700522	5/8"	5-3/4"	9"	1	1.1
AWHPR9354	87299354	P700531	3/4"	4"	7"	1	1.1
AWHPR9356	87299356	P700532	3/4"	6-1/2"	9-1/2"	1	1.5
AWHPR9358	87299358	P700541	7/8"	4-1/4"	7-1/4"	1	1.4
AWHPR9359	87299359	P700542	7/8"	6-1/2"	9-1/2"	1	1.9
AWHPR9361	87299361	P700551	1"	4-3/4"	7-3/4"	1	1.9
AWHPR9362	87299362	P700552	1"	7-1/2"	10"	1	2.6
AWHPR9364	87299364	P700562	1-1/8"	8-1/2"	11-1/2"	1	3.3
AWHPR9366	87299366	P700572	1-1/4"	8-1/2"	11-1/2"	1	4.1
AWHPR9367	87299367	P700582	1-1/2"	8-1/2"	11-1/2"	1	5.0
AWHPR9368	87299368	B96501	1-3/4"	8-1/2"	12"	1	5.5
AWHPR9369	87299369	B96502	2"	8-1/2"	12"	1	5.9
AWHPR9370	87299370	-	1"	12"	15"	1	3.5
AWHPR9371	87299371	-	1-1/4"	12"	15"	1	6.6
AWHPR9372	87299372	-	1-1/2"	13"	16"	1	7.7


# HITCH PIN

(BLUE HANDLE PLASTIC COATED)



- Our premium, Heat Treated, GRADE 8 performance hitch pin made from alloy steel is designed for the toughest applications.
- Pin has black powder coating with a Blue / Gray vinyl coated head and handle.
- Zinc plated "R" clip pin included.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWHPB9812	87299812	P700811	1/2"	3-5/8"	6-5/8"	1	0.7
AWHPB9813	87299813	P700821	5/8"	4"	7"	1	0.9
AWHPB9814	87299814	P700822	5/8"	6"	9"	1	1.0
AWHPB9815	87299815	P700831	3/4"	4"	7"	1	1.2
AWHPB9816	87299816	P700832	3/4"	6-1/2"	9-1/2"	1	1.2
AWHPB9817	87299817	P700841	7/8"	4-1/4"	7-1/4"	1	1.4
AWHPB9818	87299818	P700842	7/8"	6-1/2"	9-1/2"	1	1.9
AWHPB9819	87299819	P700851	1"	4-3/4"	7-3/4"	1	1.9
AWHPB9820	87299820	P700852	1"	7"	10"	1	2.4
AWHPB9821	87299821	P700862	1-1/8"	7"	10"	1	3.0
AWHPB9822	87299822	P700872	1-1/4"	7"	10"	1	3.0
AWHPB9823	87299823	P700882	1-1/2"	8-1/2"	11-1/2"	1	5.8



- Our premium, Heat Treated, GRADE 8 performance hitch pin made from alloy steel is designed for the toughest applications.
- Pin has black powder coating with a Blue / Gray vinyl coated head and handle.
- Zinc plated "R" clip pin included.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia $\varnothing A$ (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWHPG8037	87298037	HD9613574DS	1/2"	3-5/8"	6-5/8"	1	0.7
AWHPG8038	87298038	HD9613575DS	5/8"	4"	7"	1	0.9
AWHPG8039	87298039	HD9613579DS	5/8"	6"	9"	1	1.0
AWHPG8040	87298040	HD9613576DS	3/4"	4"	7"	1	1.2
AWHPG8041	87298041	HD9613580DS	3/4"	6-1/2"	9-1/2"	1	1.2
AWHPG8042	87298042	HD9613577DS	7/8"	4-1/4"	7-1/4"	1	1.4
AWHPG8043	87298043	HD9613581DS	7/8"	6-1/2"	9-1/2"	1	1.9
AWHPG8044	87298044	HD9613578DS	1"	4-3/4"	7-3/4"	1	1.9
AWHPG8045	87298045	HD9613582DS	1"	7"	10"	1	2.4
AWHPG8046	87298046	HD9613583DS	1-1/8"	7"	10"	1	3.0
AWHPG8047	87298047	HD9613584DS	1-1/4"	7"	10"	1	3.0
AWHPG8048	87298048	HD9624593DS	1-1/2"	8-1/2"	11-1/2"	1	5.8

# HITCH PIN DOUBLE LOCK



- These Grade 5 performance hitch pins are designed with a quick-release handle to allow easy removal with double-lock mechanism ensuring the pin will remain in place.
- The pin and handle are powder coated with zinc-plated locks.


Agriwell Part No.	Reference Number	Popular Code	Pin Dia $\varnothing$ A (Inches)	Usable Length B (Inches)	Package Qty.	Weight (lbs.)
AWHPDL8889	87298889	P700421	5/8"	4-1/2"	1	2.0
AWHPDL8890	87298890	P700431	3/4"	4-1/2"	1	2.3
AWHPDL8891	87298891	P700432	3/4"	6"	1	2.6
AWHPDL8892	87298892	P700441	7/8"	4-1/2"	1	2.6
AWHPDL8893	87298893	P700442	7/8"	6"	1	2.9
AWHPDL8894	87298894	P700452	1"	6"	1	3.3
AWHPDL8895	87298895	P700462	1-1/8"	7"	1	4.1
AWHPDL8896	87298896	P700472	1-1/4"	7"	1	4.6
AWHPDL8897	87298897	P700492	1-1/2"	8"	1	5.7



- Spring steel wire fits in the groove on the pin to secure it.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length (Inches)	Package Qty.	Weight (lbs.)
AWHPSL9826	87299826	P71011SP	1/2"	4"	5-1/2"	1	0.5
AWHPSL9827	87299827	P71021SP	5/8"	4"	5-1/2"	1	0.7
AWHPSL9828	87299828	P71031SP	3/4"	4"	5-1/2"	1	1.0
AWHPSL9829	87299829	P71032SP	3/4"	6"	7-1/2"	1	1.2
AWHPSL9830	87299830	P71042SP	7/8"	6"	7-1/2"	1	1.5
AWHPSL9831	87299831	P71052SP	1"	6"	7-1/2"	1	1.9

# BENT HITCH PIN




- These pins have numerous farm, lawn and garden, and industrial applications.
- Complete with zinc-plated "R" Clip pin.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Package Qty.	Weight (lbs.)
AWHPB9378	87299378	P71118	3/8"	3"	1	0.18
AWHPB9379	87299379	P71120	1/2"	2-1/2"	1	0.30
AWHPB9380	87299380	P71111	1/2"	3"	1	0.34
AWHPB9381	87299381	P71122	1/2"	4"	1	0.40
AWHPB9382	87299382	P71123	1/2"	5"	1	0.46
AWHPB9383	87299383	P71112	5/8"	3"	1	0.50
AWHPB9384	87299384	P71126	5/8"	4"	1	0.64
AWHPB9385	87299385	P71127	5/8"	5"	1	0.76
AWHPB9387	87299387	P71129	3/4"	4-1/2"	1	1.02
AWHPB71114	—	P71114	5/16"	2-1/2"	1	0.10
LWHPB71115	—	P71115	5/16"	3"	1	0.12
AWHPB71117	—	P71117	3/8"	2-1/2"	1	0.14
AWHPB71113	—	P71113	3/4"	3-1/2"	1	0.80
AWHPB71130	—	P71130	3/4"	5"	1	1.06



Type - A




Type - B

- Available in the most popular sizes for farm and other applications.
- Yellow zinc dichromate plated spring wire.

Agriwell Part No.	Reference Number	Popular Code	Type	Wire Dia (Inches)	Overall length (Inches)	Fits Pin Dia (Inches)	Retail Bag Part Number	Retail Bag Ref. Number	Bulk Package Qty.	Retail Bag Package Qty.	Weight (lbs.)
LWRP9391	87299391	P7922	A	1/16"	1-9/16"	3/8" to 1/2"	-	-	100	1	0.01
LWRP9392	87299392	P7923	A	3/32"	1-5/8"	1/4" to 1/2"	87299400 (12)	B500406	100	1	0.01
LWRP9393	87299393	P7924	A	1/8"	1-15/16"	1/2" to 3/4"	87299401 (8)	B500407	100	1	0.02
LWRP9394	87299394	P7925	A	5/32"	2-15/16"	5/8" to 1"	87299402 (7)	B500408	100	1	0.04
LWRP9395	87299395	P7927	A	3/16"	3-3/4"	7/8" to 1-1/4"	87299403 (3)	B500409	25	1	0.08
LWRP9396	87299396	P7928	A	1/4"	4"	3/4" to 1"	87299404 (2)	B500410	25	1	0.10
LWRP9397	87299397	P7929	A	5/16"	5-15/16"	1" to 1-7/16"	-	-	5	1	0.30
LWRP9398	87299398	P7956	A	5/16"	4-1/8"	1" to 1-7/16"	87299405 (2)	B500411	5	1	0.20
LWSTC7995	-	P7995	B	1/8"	2-1/2"	1/2" to 7/8"	-	-	-	-	0.02
LWSTC7996	-	P7996	B	5/32"	3-1/32"	5/8" to 1"	-	-	-	-	0.04
LWSTC7997	-	P7997	B	3/16"	4-3/32"	3/4" to 1-1/4"	-	-	-	-	0.06
LWSTC793	-	P793	A	5/16"	3-1/2"	5/16"	-	-	-	-	0.08


## SAFETY PINS



- Trivalent Zinc Plating.

Agriwell Part No.	Popular Code	Wire Dia ØA (mm)	Dim B (mm)	Dim C (mm)	Dia ØD (mm)
AWSSP-360	00122	3	60	35	20
AWSSP-4100	00107	4	100	55	33
AWSSP-590	00108	5	90	42	31
AWSSP-6100	00109	6	100	50	30


# LYNCH PINS



➤ Fasteners for numerous farm and other applications.

➤ Yellow zinc dichromate plated except for the 87299416 and 87299418, which have a black powder coated finish.

Agriwell Part No.	Reference Number	Popular Code	Description	Pin Dia ØA (Inches)	Usable length B (Inches)	Retail Bag Part Number	Retail Bag Ref. Number	Bulk Package Qty.	Retail Bag Package Qty.	Weight (lbs.)
AWLP9408	87299408	P7919	Standard	3/16"	1"	87299423 (2)	B500413	100	1	0.03
AWLP9409	87299409	P7920	87299408 (SPC7919DS, B500168) with chain and cotter pin	3/16"	1"	-	-	25	-	0.03
AWLP9410	87299410	P791	Standard	7/16"	1-1/4"	87299411 (2)	-	100	1	0.10
AWLP9412	87299412	P792	87299410 (2N609DS, B500170) with chain and cotter pin	7/16"	1-1/4"	-	-	25	-	0.20
AWLP9413	87299413	P794	Standard	1/4"	1-1/4"	87299424 (2)	B500412	100	1	0.07
AWLP9415	87299415	P795	Short shank	7/16"	1-3/4"	-	-	100	-	0.09
AWLP9416	87299416	P7913	Heavy duty; fits Category 1, 2 and 3 pins; black powder coat	7/16"	1-1/2"	87299414 (2)	-	100	1	0.13
AWLP9418	87299418	P7914	87299416 (251387DS, B500171) with chain and cotter pin; black powder coat	7/16"	1-3/2"	-	-	25	-	0.18
AWLP9419	87299419	P7915	Standard	5/16"	1-1/4"	87299417 (2)	-	100	1	0.10
AWLP9420	87299420	P7916	Standard	3/8"	1-1/4"	-	-	100	-	0.10
AWLP9421	87299421	P798	Long; fits Category 1, 2 and 3 pins	7/16"	1-3/4"	-	-	100	-	0.14
AWLP9422	87299422	P798E	Long shank	7/16"	1-1/4"	-	-	100	-	0.12



- Numerous farm, lawn and garden, and industrial applications.
- Round- and square-loop styles.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Wire Loop	Package Qty.	Bulk Weight (lbs.)
AWPTP9536	87299536	P7950	1/4"	1-3/8"	Round	10	0.06
AWPTP9537	87299537	P7938	1/4"	1-3/4"	Round	10	0.06
AWPTP9538	87299538	P7952	1/4"	2-1/4"	Square	10	0.08
AWPTP9539	87299539	P7953	1/4"	2-1/2"	Square	10	0.08
AWPTP9540	87299540	P7951	1/4"	2-1/2"	Round	10	0.08
AWPTP9543	87299543	P7954	5/16"	1-3/8"	Round	10	0.08
AWPTP9545	87299545	P7955	5/16"	1-3/4"	Round	10	0.08
AWPTP9546	87299546	P7939	5/16"	2-1/4"	Square	10	0.10
AWPTP9547	87299547	P7940	5/16"	2-1/4"	Round	10	0.10
AWPTP9549	87299549	P7956	5/16"	2-1/2"	Round	10	0.10
AWPTP9550	87299550	P7957	5/16"	2-1/2"	Square	10	0.10
AWPTP9551	87299551	P7958	5/16"	3-1/2"	Square	10	0.14
AWPTP9552	87299552	P7959	5/16"	3-15/16"	Square	10	0.14
AWPTP9553	87299553	P7960	3/8"	1-1/2"	Round	10	0.11
AWPTP9555	87299555	P7941	3/8"	2-1/4"	Round	10	0.14
AWPTP9556	87299556	P7964	3/8"	2-1/4"	Square	10	0.14
AWPTP9557	87299557	P7963	3/8"	2-1/2"	Round	10	0.14
LWPTP9558	87299558	P7965	3/8"	2-1/2"	Square	10	0.16
AWPTP9559	87299559	P7966	3/8"	3"	Square	10	0.16
AWPTP9560	87299560	P7967	3/8"	3-7/16"	Square	10	0.18
AWPTA619E	SPC160619E	Sp16619	Yoke pin assembly; fits most American PTO yokes			5	0.10
AWPTA625E		Sp16625	Yoke pin assembly for 1-3/8" X 6 spline or spline adaptor, welded yoke only			5	0.10
AWPTA626E		Sp16626	Yoke pin assembly for 1-3/8" X 21 spline or spline adaptor, welded yoke only			5	0.20
AWPTA321E	SPC171321E	17321	Roll pin for over-running clutches; 5 per bag			5	0.10

# PTO Adapters & Accessories



AWPTO1662

AWPTO1664

AWPTO1667

AWPTO16610

AWPTO16646

AWPTO16630

➤ Yellow zinc dichromate plated.

Agriwell Part No.	Popular Code	Description	Male Spline	Female Spline	Extends PTO	Overall Length	Max H.P.	Weight (lbs.)
AWPTO1660	SP1660	Sleeve increaser; Ford 231082	1-3/8" x 6	1-1/8" x 6	0	2"	75	0.2
AWPTO1662	SP1662	Sleeve increaser; all tractors except Ford	1-3/8" x 6	1-1/8" x 6	0	2-1/4"	75	0.2
AWPTO1663	SP1663	PTO spline adapter; converts 21 spline 1000 RPM to 6 spline 540 RPM	1-3/8" x 6	1-3/8" x 21	3-1/4"	5-7/8"	75	2.0
AWPTO1664	SP1664	Universal reducer	1-1/8" x 6	1-3/8" x 6	3-5/16"	5-1/8"	75	1.4
AWPTO1665	SP1665	PTO increaser	1-3/8" x 6	1-1/8" x 6	3-5/8"	5-1/2"	75	1.3
AWPTO1666	SP1666	PTO short increaser	1-3/8" x 6	1-1/8" x 6	1-1/8"	3-1/4"	75	0.6
AWPTO1667	SP1667	PTO spline adapter; 20 to 6 spline; set screw lock	1-3/8" x 6	1-3/4" x 20	4-5/8"	7-1/2"	75	6.1
AWPTO1668	SP1668	PTO extender	1-3/8" x 6	1-3/8" x 6	3-5/16"	5-1/8"	75	2.2
AWPTO16610	SP16610	PTO spline adapter with quick-release; converts 21 spline 1000 RPM to 6 spline 540 RPM	1-3/8" x 6	1-3/8" x 21	3-7/8"	6-1/2"	75	2.5
AWPTO16611	SP16611	PTO spline adapter with quick-release; converts 6 spline 540 RPM to 21 spline 1000 RPM	1-3/8" x 21	1-3/8" x 6	4-1/8"	6-1/2"	75	2.5
AWPTO16612	SP16612	PTO extender with quick-release	1-3/8" x 6	1-3/8" x 6	4-3/8"	6-1/2"	75	2.8
AWPTO16613	SP16613	PTO extender with quick-release; 21 spline 1000 RPM	1-3/8" x 21	1-3/8" x 21	4-1/8"	5-7/8"	75	3.2
AWPTO16615	SP16615	PTO spline adapter; 20 to 21 spline; set screw lock	1-3/8" x 21	1-3/4" x 20	4-5/8"	7"	75	4.2
AWPTO16646	SP16646	Splined adapter; extended length for use with Gresen pump	1-3/8" x 6	1-3/8" x 6	11-5/8"	15"	75	6.0
AWPTO16630	SP16630	Over-running clutch; maximum 1000 RPM operating speed	1-3/8" x 6	1-3/8" x 6	3-13/16"	6-1/2"	75	5.0
AWPTO16631	SP16631	Over-running clutch; maximum 1000 RPM operating speed	1-3/8" x 6	1-1/8" x 6	3-13/16"	6-1/2"	75	5.0
AWPTO16660	SP16660	Over-running clutch with quick-release; maximum 1000 RPM operating speed	1-3/8" x 6	1-3/8" x 6	4-1/2"	6-3/4"	75	7.2
AWPTO16661	SP16661	Over-running clutch with quick-release; maximum 1000 RPM operating speed	1-3/8" x 6	1-1/8" x 6	4-1/2"	6-3/4"	75	7.1



- Ball detent allows for fast and easy insertion and removal of pin.
- Replaces pins that require a cotter pin.
- Available in most popular sizes.
- Zinc plated carbon steel.



Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWDTP202E	SPC71202E	P71202	3/16"	1"	1-3/8"	5	0.2
AWDTP204E	SPC71204E	P71204	3/16"	1-1/2"	1-7/8"	5	0.3
AWDTP206E	SPC71206E	P71206	3/16"	2"	2-3/8"	5	0.4
AWDTP207E	SPC71208E	P71208	3/16"	3"	3-38/100"	5	0.5
AWDTP212E	SPC71212E	P71212	1/4"	1"	1-7/16"	5	0.4
AWDTP214E	SPC71214E	P71214	1/4"	1-1/2"	1-15/16"	5	0.6
AWDTP216E	SPC71216E	P71216	1/4"	2"	2-7/16"	5	0.6
AWDTP218E	SPC71218E	P71218	1/4"	2-1/2"	2-15/16"	5	0.7
AWDTP220E	SPC71220E	P71220	1/4"	3"	3-7/16"	5	0.9
AWDTP222E	SPC71222E	P71222	1/4"	4"	4-7/16"	5	1.6
AWDTP224E	SPC71224E	P71224	1/4"	5"	5-7/16"	5	1.3
AWDTP227E	SPC71227E	P71227	5/16"	1"	1-17/32"	5	0.6
AWDTP229E	SPC71229E	P71229	5/16"	1-1/2"	2-1/32"	5	0.8
AWDTP231E	SPC71231E	P71231	5/16"	2"	2-17/32"	5	1.0
AWDTP233E	SPC71233E	P71233	5/16"	2-1/2"	3-1/32"	5	1.2
AWDTP234E	SPC71234E	P71234	5/16"	3"	3-17/32"	5	1.3
AWDTP236E	SPC71236E	P71236	5/16"	3-1/2"	4-1/32"	5	1.4
AWDTP237E	SPC71237E	P71237	5/16"	4"	4-17/32"	5	1.6
AWDTP239E	SPC71239E	P71239	5/16"	5"	5-17/32"	5	2.0
AWDTP246E	SPC71246E	P71246	3/8"	1"	1-5/8"	5	1.0
AWDTP248E	SPC71248E	P71248	3/8"	1-1/2"	2-1/8"	5	1.1
AWDTP250E	SPC71250E	P71250	3/8"	2"	2-5/8"	5	1.4
AWDTP252E	SPC71252E	P71252	3/8"	2-1/2"	3-1/8"	5	1.7
AWDTP253E	SPC71253E	P71253	3/8"	3"	3-5/8"	5	1.9
AWDTP255E	SPC71255E	P71255	3/8"	3-1/2"	4-1/8"	5	2.2
AWDTP257E	SPC71257E	P71257	3/8"	4"	4-5/8"	5	2.5

# DETENT PINS





Agriwell Part No.	Reference Number	Popular Code	Pin Dia $\varnothing A$ (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWDTP265E	SPC71265E	P71265	7/16"	2"	3-7/32"	5	1.9
AWDTP267E	SPC71267E	P71267	7/16"	2-1/2"	3-7/32"	5	2.2
AWDTP269E	SPC71269E	P71269	7/16"	3"	3-23/32"	5	2.6
AWDTP271E	SPC71271E	P71271	7/16"	4"	4-23/32"	5	3.3
AWDTP273E	SPC71273E	P71273	7/16"	5"	5-23/32"	5	4.0
AWDTP280E	SPC71280E	P71280	1/2"	1"	1-25/32"	5	1.7
AWDTP281E	SPC71281E	P71281	1/2"	1-1/2"	2-9/32"	5	2.2
AWDTP282E	SPC71282E	P71282	1/2"	2"	2-25/32"	5	2.5
AWDTP283E	SPC71283E	P71283	1/2"	2-1/2"	3-9/32"	5	3.2
AWDTP284E	SPC71284E	P71284	1/2"	3"	3-25/32"	5	3.4
AWDTP286E	SPC71286E	P71286	1/2"	4"	4-25/32"	5	4.4

# UNIVERSAL CLEVIS PINS



- Can be used as an adjustable replacement pin.
- Multiple holes allow user to cut off excess length.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia $\varnothing A$ (Inches)	Overall Length B (Inches)	Package Qty.	Weight (lbs.)
AWUCP411E	SPC7411E	P7411	1/4"	2"	10	0.02
AWUCP412E	SPC7412E	P7412	5/16"	2"	10	0.04
AWUCP413E	SPC7413E	P7413	3/8"	2"	10	0.05
AWUCP414E	SPC7414E	P7414	7/16"	2"	10	0.08
AWUCP415E	SPC7415E	P7415	1/2"	2"	10	0.11
AWUCP416E	SPC7416E	P7416	1/2"	2-1/2"	10	0.14
AWUCP417E	SPC7417E	P7417	7/16"	2-1/2"	10	0.13
AWUCP418E	SPC7418E	P7418	7/16"	3"	10	0.14
AWUCP419E	SPC7419E	P7419	1/2"	3"	10	0.15
AWUCP420E	SPC7420E	P7420	5/8"	3"	10	0.16
AWUCP421E	SPC7421E	P7421	3/4"	3"	10	0.16



- Pins for hydraulic cylinders and jacks in popular sizes.
- Standard cylinder clips included.
- Will accommodate "R" clip pin.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Overall length C (Inches)	Package Qty.	Bulk Weight (lbs.)
AWHCP9427	87299427	P7712	1"	2"	2-3/4"	5	0.6
AWHCP9428		P7736	1"	2-1/8"	2-15/16"	5	0.5
AWHCP9429		P7738	1"	2-1/4"	3-1/16"	5	0.6
AWHCP9430	87299430	P7729	1"	2-3/4"	3-9/16"	5	0.8
AWHCP9431	87299431	P7743	1"	2-7/8"	3-11/16"	5	0.8
AWHCP9432	87299432	P7744	1"	3"	3-13/16"	5	0.9
AWHCP9433		P7713	1"	3-1/8"	3-15/16"	5	0.9
AWHCP9434	87299434	P7746	1"	3-1/4"	4-1/16"	5	0.9
AWHCP9435	87299435	P7731	1-1/8"	1-15/16"	2-3/8"	5	0.8
AWHCP9436	87299436	P7750	1-1/4"	3-1/4"	4-1/16"	5	1.4

# RATCHET JACKS



- Implement jacks have multiple uses including the adjustment of implements and equipment.
- Replace hydraulic cylinders or old screw jacks in those applications where infrequent adjustment is needed.

Agriwell Part No.	Reference Number	Popular Code	Description	Package Qty.	Weight (lbs.)
AWRJ9439	87299439	SI1541	Heavy-duty ratchet jack with 1-1/4" ACME threads and grease zerks; adjustable from 20" closed to 28" open; 1" clevis pins, clip pins and handle included; black powder-coat finish	1	15
AWRJ9441	87299441	SL1541GT	Heavy-duty ratchet jack with 1-1/4" ACME threads and grease zerks; adjustable from 20" closed to 28" open; 1" clevis pins, clip pins and handle included; primered finish	1	15

# TURNBUCKLE IMPLEMENT JACK



- Implement jacks have multiple uses including the adjustment of implements and equipment.
- Replace hydraulic cylinders or old screw jacks in those applications where infrequent adjustment is needed.


Agriwell Part No.	Popular Code	Description	Color	Weight (lbs.)
AWSRJ153	SI153	Turnbuckle implement jack with 1-1/4" NC threads; adjustable from 20" closed to 28" open; 1" pin holes	Red	11.10
AWSRJ1548	SI1548	Handle for Ratchet Jacks	Plated	0.70
AWSRJ7910	P7910	Clip pin for 1" diameter hydraulic cylinder pins	Plated	0.02



➤ Class I, II, III and IV chrome hitch balls.

Agriwell Part No.	Reference Number	Popular Code	Description	Package Qty.	Bulk Weight (lbs.)
AWHB100504	87299456	HB100504	1-7/8" chrome hitch ball with 3/4" stud; 1-3/4" stud length; VESC Class I	1	1.6
AWHB100602	87299458	HB100602	2" chrome hitch ball with 3/4" Bolt; economy type; VESC Class I	1	1.8
AWHB100604		HB100604	2" chrome hitch ball with 3/4" stud; 1-3/4" stud length; VESC Class II	1	1.8
AWHB100608	87299459	HB100608	2" chrome hitch ball with 1" stud; 2-1/8" stud length; VESC Class III	1	2.5
AWHB100703	87299460	HB100703	2-5/16" chrome hitch ball with 1-1/4" stud; 2-1/8" stud length; VESC Class IV	1	4.0
AWHB100705		HB100705	2-5/16" chrome hitch ball with 1-3/8" stud; 2-31/64" stud length; VESC Class IV	1	4.4
AWHB100509		HB100509	Hitch Ball cover: fits 1-7/8" and 2" balls : flexible gray vinyl	1	0.1

## HITCH BALLS PIN



➤ Chrome Plated with Chain, Linch Pin, Nut & Washer.

Agriwell Part No.	Reference Number	Pin Dia ØA (mm)	Thread Dia ØB (Inches)	Dim C (mm)	Dim D (mm)	Dim E (mm)	Package Qty.
AWSHB78162	S-3210	50	7/8"	100	162	190	1
AWSHB1162	S-3211	50	1"	100	162	190	1

# BALL MOUNT



**A**

➤ Black Powder Coat Finish



**B**

➤ Chrome Plated



**C**

➤ Black Powder Coat Finish

Agriwell Part No.	Reference Number	Type	Description	M.V.L. (lbs.)	M.G.T.W. (lbs.)	Weight (lbs.)
AWBMB001	1803105	A	Ball Mount, Length 7", Max. Drop 2-1/2"	300	3500	4.15
AWBMB002	1803110	A	Ball Mount, Length 7", Max. Drop 4"	300	3500	5.50
AWBMB003	1803005	A	Ball Mount, Length 8", Max. Drop 2"	600	6000	6.85
AWBMB004	1803105	A	Ball Mount, Length 7", Max. Drop 2-1/2"	300	3500	4.15
AWBMB005	1803110	A	Ball Mount, Length 7", Max. Drop 4"	300	3500	5.50
AWBMB006	1803005	A	Ball Mount, Length 8", Max. Drop 2"	600	6000	6.85
AWBMB007	1803006	A	Straight Ball Mount, Chrome Plated, Length 8", Max. Drop 2"	600	6000	6.85
AWBMB008	1803007	A	Straight Ball Mount, Length 10", Max. Drop 2"	600	6000	7.75
AWBMB009	1803010	A	High-Low Ball Mount, Length 8", Max. Drop 4"	600	6000	7.50
AWBMC001	1803011	B	High-Low Ball Mount, Length 8", Max. Drop 4"	600	6000	7.50
AWBMC002	1803013	B	High-Low Ball Mount, Length 10", Max. Drop 4"	600	6000	7.00
AWBMC003	1803016	B	Deep Drop Ball Mount, Length 10", Max. Drop 6"	600	6000	10.00
AWBMBL01	1803017	C	Deep Drop Ball Mount, Length 10", Max. Drop 8"	600	6000	12.25
AWBMBL02	1803019	C	Deep Drop Ball Mount, Solid Shank, Length 10.28", Max. Drop 10.25"	600	6000	16.00



➤ Black powder coat finish

Agriwell Part No.	Reference Number	Description	Weight (lbs.)
AWRT001	1804035	Converts a 2" receiver tube to a 1-1/4" hitch, Cast steel collar, 1/2" hitch pin included	3.50

➤ Not rated for towing  
➤ Black powder coat finish

Agriwell Part No.	Reference Number	Description	Weight (lbs.)
AWRT002	1804030	Converts a 1 1/4" receiver tube to a 2" hitch, Cast steel collar 5/8" hitch pin hole, Ideal for light-duty receiver hitch accessories	7.00



➤ Black powder coat finish

Agriwell Part No.	Reference Number	Description	Weight (lbs.)
AWRT003	1804055	2" I.D. x 6" Bolt-on Receiver Tube	7.9

Directions

➤ 5/8" Hitch Pin Hole  
➤ Zinc plated steel

Agriwell Part No.	Reference Number	Description	Weight (lbs.)
AWRT004	—	Reducer sleeve slides inside 2-1/2" receiver, Accepts all 2" hitch accessories, 5/8" Hitch Pin Hole	—



➤ Black powder coat finish

Agriwell Part No.	Reference Number	Description	Weight (lbs.)
AWRT005	—	Receiver Extension 7"	18.00
AWRT006	1804005	Receiver Extension 12"	18.00
AWRT007	1804007	Receiver Extension 18"	24.00

# BALL MOUNT



Agriwell Part No.	Description
ATOW1802210	Tri-ball Hd Solid Shank Mount With Hook & Chrome Plated Balls

Agriwell Part No.	Description
ATOW1802208	Tri-Ball Hd Solid Shank Mount with Hook, Black Powder Coated



Agriwell Part No.	Description
ATOW1802215	Tri-Ball with Clevis, Chrome Plated Balls

Agriwell Part No.	Description
ATOW1802214	Tri-Ball with Clevis, Black Powder Coated



Agriwell Part No.	Description
ATOW1802205	Tri-Ball Hd Solid Shank Mount with Hook & Chrome Plated Balls

# BALL MOUNT



Agriwell Part No.	Description
ATOW1802200	Tri-Ball Hd Solid Shank Mount Black Powder Coated

Agriwell Part No.	Description
ATOW1803015	Clevis Type Mount



Agriwell Part No.	Description
ATOW18030100	Class 3 Ball Straight Mount With 1" HOLE

Agriwell Part No.	Description
ATOW1803200	2 Inch Drop Forged Ball Mount, Capacity 17000 lb



Agriwell Part No.	Description
ATOW1804400	4 Inch Drop Forged Ball Mount, Capacity 17000 lb

Agriwell Part No.	Description
ATOW1803400	4 Inch Drop Ball Mount, Fits in 2 Inch Receiver, Capacity 6000 lbs



# TOWING JAW ASSEMBLY



Agriwell Part No.	Description
AWTH6012	Tow Hitch Assembly Dual Separate Pin. 2500 kg Capacity.

Agriwell Part No.	Description
AWTJ2115	Towing Jaw Assembly 50mm diameter ball 5/8" fixing holes. 3000 kg Capacity.



Agriwell Part No.	Description
AWTJ2113	Towing Jaw Assembly 50mm diameter ball 5/8" fixing holes. 1500 kg Capacity.

Agriwell Part No.	Description
AWTB2110	Towing Ball 50mm diameter ball 5/8" fixing holes. 1500 kg Capacity.



# RING HITCH EYE



Agriwell Part No.	Description
AWRH1513	Ring Hitch (EN3A) 125mm x 90mm x 30mm
AWRH1613	Ring Hitch (EN16A) 125mm x 90mm x 30mm
AWRH1713	Ring Hitch (EN8) 125mm x 90mm x 30mm

Agriwell Part No.	Description
AWRH1530	Ring Hitch (EN3A) 300mm x 90mm x 30mm
AWRH1630	Ring Hitch (EN16A) 300mm x 90mm x 30mm
AWRH1730	Ring Hitch (EN8) 300mm x 90mm x 30mm



Agriwell Part No.	Description
AWRH1540	Ring Hitch (EN3A) 300mm x 90mm x 40mm
AWRH1640	Ring Hitch (EN16A) 300mm x 90mm x 40mm
AWRH1740	Ring Hitch (EN8) 300mm x 90mm x 40mm

Agriwell Part No.	Description
AWRH1575	Ring Hitch (EN3A) Heavy Duty 300 x 90 x 40mm
AWRH1675	Ring Hitch (EN16A) Heavy Duty 300 x 90 x 40mm
AWRH1775	Ring Hitch (EN8) Heavy Duty 300 x 90 x 40mm



Agriwell Part No.	Description
AWRH1483	Ring Hitch Cranked (EN3A) 300mm x 90mm x 40mm
AWRH1583	Ring Hitch Cranked (EN16A) 300mm x 90mm x 40mm
AWRH1683	Ring Hitch Cranked (EN8) 300mm x 90mm x 40mm

Agriwell Part No.	Description
AWRH1483	Ring Hitch Cranked (EN3A) 300mm x 90mm x 40mm
AWRH1583	Ring Hitch Cranked (EN16A) 300mm x 90mm x 40mm
AWRH1683	Ring Hitch Cranked (EN8) 300mm x 90mm x 40mm



## SPROCKETS FOR #40 CHAIN - 1/2" PITCH



Agriwell Part No.	SKU Number	PART NUM. BULK	PART NUM. BOX*	UPC ITEM NO. BULK BOX		NUMBER OF TEETH	OUTSIDE DIAM	USE HUB SERIES	BULK WEIGHT (IBS.)
AWSK80412	80401200	HS804012	804012YAU (1)	80412 4	90140 3	12	2-3/16"	V	0.13
AWSK80413	80401300	HS804013	804013YAU (1)	80413 1	90141 0	13	2-1/4"	V	0.13
AWSK80414	80401400	HS804014	804014YAU (1)	80414 8	90142 7	14	2-7/16"	V	0.19
AWSK80415	80401500	HS804015	804015YAU (1)	80415 5	90143 4	15	2-5/8"	V	0.25
AWSK80416	80401600	HS804016	804016YAU (1)	80416 2	90144 1	16	2-13/16"	W	0.19
AWSK80417	80401700	HS804017	804017YAU (1)	80417 9	90145 8	17	3"	W	0.25
AWSK80418	80401800	HS804018	804018YAU (1)	80418 6	90146 5	18	3-1/8"	W	0.32
AWSK80419	80401900	HS804019	804019YAU (1)	80419 3	90147 2	19	3-5/16"	W	0.32
AWSK80420	80402000	HS804020	804020YAU (1)	80420 9	90148 9	20	3-7/16"	X	0.32
AWSK80421	80402100	HS804021	804021YAU (1)	80421 6	90149 6	21	3-5/8"	X	0.38
AWSK80422	80402200	HS804022	804022YAU (1)	80422 3	90150 2	22	3-3/4"	X	0.44
AWSK80423	80402300	HS804023	804023YAU (1)	80423 0	90151 9	23	4"	X	0.5
AWSK80424	80402400	HS804024	804024YAU (1)	80424 7	90152 6	24	4-1/6"	X	0.56
AWSK80425	80402500	HS804025	--	80425 4	--	25	4-3/16"	X	0.65
AWSK80426	80402600	HS804026	804026YAU (1)	80426 1	90154 0	26	4-3/8"	X	0.69
AWSK80427	80402700	HS804027	--	80427 8	--	27	4-1/2"	X	0.85
AWSK80428	80402800	HS804028	804028YAU (1)	80428 5	90166 3	28	4-11/16"	X	0.88
AWSK80439	80402900	HS804029	--	80439 1	--	29	4-3/4"	X	0.95
AWSK80430	80403000	HS804030	804030YAU (1)	80430 8	90168 7	30	5-1/16"	X	1
AWSK80432	80403200	HS804032	804032YAU (1)	80432 2	90169 4	32	5-3/8"	X	1.13
AWSK80435	80403500	HS804035	--	80435 3	--	35	5-11/16"	X	1.55
AWSK80436	80403600	HS804036	804036YAU (1)	80436 0	90171 7	36	1.	X	1.5
AWSK80440	80404000	HS804040	804040YAU (1)	80440 7	90172 4	40	6-5/8"	X	2
AWSK80442	80404200	HS804042	--	80442 1	--	42	1.	X	2.2
AWSK80445	80404500	HS804045	804045YAU (1)	80445 2	90174 8	45	7-3/8"	X	2.56
AWSK80448	80404800	HS804048	804048YAU (1)	80448 3	90175 5	48	7-7/8"	X	3.05
AWSK80454	80405400	HS804054	--	80454 4	--	54	8-7/8"	X	3.82
AWSK80460	80406000	HS804060	--	80460 5	--	60	9-3/16"	X	5.1
AWSK80472	80407200	HS804072	--	80472 8	--	72	11-3/16"	X	7.5
AWSK80480	80408000	HS804080	--	80480 3	--	80	12-15/16"	X	9
AWSK80496	80409600	HS804096	--	80496 4	--	96	15-1/2"	X	13.3

\* Number in parenthesis indicates clamshell quantity.

## SPROCKETS FOR #50 CHAIN - 5/8" PITCH



Agriwell Part No.	SKU Number	PART NUM. BULK	PART NUM. BOX*	UPC ITEM NO. BULK BOX		NUMBER OF TEETH	OUTSIDE DIAM	USE HUB SERIES	BULK WEIGHT (lbs.)
AWSK80510	80501000	HS805010	805010YAU (1)	80510 7	90201 1	10	2-1/4"	V	0.19
AWSK80511	80501100	HS805011	805011YAU (1)	80511 4	90202 8	11	2-1/2"	V	0.19
AWSK80512	80501200	HS805012	805012YAU (1)	80512 1	90203 5	12	2-3/4"	W	0.22
AWSK80513	80501300	HS805013	805013YAU (1)	80513 8	90204 2	13	2-7/8"	W	0.25
AWSK80514	80501400	HS805014	805014YAU (1)	80514 5	90205 9	14	3-1/16"	W	0.32
AWSK80515	80501500	HS805015	805015YAU (1)	80515 2	90206 6	15	3-1/4"	W	0.44
AWSK80516	80501600	HS805016	805016YAU (1)	80516 9	90207 3	16	3-7/16"	W	0.5
AWSK80517	80501700	HS805017	805017YAU (1)	80517 6	90208 0	17	3-11/16"	X	0.5
AWSK80518	80501800	HS805018	805018YAU (1)	80518 3	90209 7	18	3-7/8"	X	0.58
AWSK80519	80501900	HS805019	805019YAU (1)	80519 0	90210 3	19	4-1/8"	X	0.69
AWSK80520	80502000	HS805020	805020YAU (1)	80520 6	90211 0	20	4-3/8"	X	0.75
AWSK80521	80502100	HS805021	805021YAU (1)	80521 3	90212 7	21	4-9/16"	X	0.88
AWSK80522	80502200	HS805022	805022YAU (1)	80522 0	90213 4	22	4-3/4"	X	1
AWSK80523	80502300	HS805023	805023YAU (1)	80523 7	90214 1	23	4-15/16"	X	1.15
AWSK80524	80502400	HS805024	805024YAU (1)	80524 4	90215 8	24	5-1/8"	X	1.25
AWSK80525	80502500	HS805025	805025YAU (1)	80525 1	90216 5	25	5-3/8"	X	1.4
AWSK80526	80502600	HS805026	805026YAU (1)	80526 8	90217 2	26	5-1/2"	X	1.63
AWSK80527	80502700	HS805027	805027YAU (1)	80527 5	90218 9	27	5-11/16"	X	1.8
AWSK80528	80502800	HS805028	805028YAU (1)	80528 2	90219 6	28	5-7/8"	X	1.83
AWSK80529	80502900	HS805029	805029YAU (1)	80529 9	90220 2	29	6-1/8"	X	2.1
AWSK80530	80503000	HS805030	805030YAU (1)	80530 5	90221 9	30	6-5/16"	X	2.19
AWSK80531	80503100	HS805031	805031YAU (1)	80531 2	90222 6	31	6-1/2"	X	2.42
AWSK80532	80503200	HS805032	805032YAU (1)	80532 9	90223 3	32	6-3/4"	X	2.38
AWSK80533	80503300	HS805033	--	80533 6	--	33	6-7/8"	X	2.65
AWSK80534	80503400	HS805034	--	80534 3	--	34	7-1/16"	X	3.1
AWSK80535	80503500	HS805035	--	80535 0	--	35	7-1/4"	X	3.1
AWSK80536	80503600	HS805036	805036YAU (1)	80536 7	90227 1	36	7-9/16"	X	3.25
AWSK80537	80503700	HS805037	--	80537 4	--	37	7-11/16"	X	3.4
AWSK80538	80503800	HS805038	--	80538 1	--	38	7-15/16"	X	3.55
AWSK80539	80503900	HS805039	--	80539 8	--	39	8-1/8"	X	3.9
AWSK80540	80504000	HS805040	--	80540 4	--	40	8-5/16"	X	3.95
AWSK80541	80504100	HS805041	--	80541 1	--	41	8-1/2"	X	4.15
AWSK80542	80504200	HS805042	--	80542 8	--	42	8-11/16"	X	4.5
AWSK80543	80504300	HS805043	--	80543 5	--	43	8-7/8"	X	4.7
AWSK80544	80504400	HS805044	--	80544 2	--	44	9-1/16"	X	4.95
AWSK80545	80504500	HS805045	--	80545 9	--	45	9-5/16"	X	5.2
AWSK80548	80504800	HS805048	--	80548 0	--	48	9-7/8"	X	6.15
AWSK80550	80505000	HS805050	--	80550 3	--	50	10-1/4"	X	6.6
AWSK80554	80505400	HS805054	--	80554 1	--	54	11-1/16"	X	7.75
AWSK80560	80506000	HS805060	--	80560 2	--	60	12-5/16"	X	9.8
AWSK80572	80507200	HS805072	--	80572 5	--	72	14-5/8"	X	13.9
AWSK80580	80508000	HS805080	--	80580 0	--	80	16-1/4"	X	17.5
AWSK80596	80509600	HS805096	--	80596 1	--	96	19-7/16"	X	25

\* Number in parenthesis indicates clamshell quantity.

## SPROCKETS FOR #60 CHAIN - 3/4" PITCH



Agriwell Part No.	SKU Number	PART NUM. BULK	PART NUM. BOX*	UPC ITEM NO. BULK BOX		NUMBER OF TEETH	OUTSIDE DIAM	USE HUB SERIES	BULK WEIGHT (IBS.)
AWSK80609	80600900	HS806009	806009YAU (1)	80609 8	90250 9	9	2-1/2"	V	0.32
AWSK80610	80601000	HS806010	806010YAU (1)	80610 4	90251 6	10	2-3/4"	V	0.38
AWSK80611	80601100	HS806011	806011YAU (1)	80611 1	90252 3	11	3"	W	0.38
AWSK80612	80601200	HS806012	806012YAU (1)	80612 8	90253 0	12	3-1/4"	W	0.44
AWSK80613	80601300	HS806013	806013YAU (1)	80613 5	90254 7	13	3-1/2"	W	0.63
AWSK80614	80601400	HS806014	806014YAU (1)	80614 2	90255 4	14	3-3/4"	W	0.75
AWSK80615	80601500	HS806015	806015YAU (1)	80615 9	90256 1	15	4"	X	0.75
AWSK80616	80601600	HS806016	806016YAU (1)	80616 6	90257 8	16	4-1/4"	X	0.94
AWSK80617	80601700	HS806017	806017YAU (1)	80617 3	90258 5	17	4-1/2"	X	1.19
AWSK80618	80601800	HS806018	806018YAU (1)	80618 0	90259 2	18	4-11/16"	X	1.32
AWSK80619	80601900	HS806019	806019YAU (1)	80619 7	90260 8	19	5"	X	1.5
AWSK80620	80602000	HS806020	806020YAU (1)	80620 3	90261 5	20	5-1/8"	X	1.63
AWSK80621	80602100	HS806021	806021YAU (1)	80621 0	90262 2	21	5-1/2"	X	2
AWSK80622	80602200	HS806022	806022YAU (1)	80622 7	90263 9	22	5-11/16"	X	2.25
AWSK80623	80602300	HS806023	--	80623 4	--	23	5-15/16"	X	2.5
AWSK80624	80602400	HS806024	806024YAU (1)	80624 1	90265 3	24	6-1/8"	X	2.75
AWSK80625	80602500	HS806025	--	80625 8	--	25	6-3/8"	X	3
AWSK80626	80602600	HS806026	806026YAU (1)	80626 5	90267 7	26	6-5/8"	X	3.25
AWSK80627	80602700	HS806027	--	80627 2	--	27	6-7/8"	X	3.6
AWSK80628	80602800	HS806028	806028YAU (1)	80628 9	90269 1	28	7-1/8"	X	3.75
AWSK80629	80602900	HS806029	--	80629 6	--	29	7-3/8"	X	4.5
AWSK80630	80603000	HS806030	806030YAU (1)	80630 2	90271 4	30	7-5/8"	X	4.5
AWSK80631	80603100	HS806031	--	80631 9	--	31	7-3/4"	X	4.85
AWSK80632	80603200	HS806032	--	80632 6	--	32	8"	X	5.15
AWSK80633	80603300	HS806033	--	80633 3	--	33	8-5/16"	X	5.45
AWSK80634	80603400	HS806034	--	80634 0	--	34	8-9/16"	X	5.8
AWSK80635	80603500	HS806035	--	80635 7	--	35	8-3/4"	X	6.2
AWSK80636	80603600	HS806036	--	80636 4	--	36	9"	X	6.5
AWSK80638	80603800	HS806038	--	80638 8	--	38	9-7/8"	X	7.4
AWSK80640	80604000	HS806040	--	80640 1	--	40	9-15/16"	X	8.28
AWSK80642	80604200	HS806042	--	80642 5	--	42	10-1/2"	X	9.15
AWSK80645	80604500	HS806045	--	80645 6	--	45	11-3/16"	X	10.7
AWSK80648	80604800	HS806048	--	80648 7	--	48	11-7/8"	X	12.3
AWSK80654	80605400	HS806054	--	80654 8	--	54	13-1/4"	X	15.6
AWSK80660	80606000	HS806060	--	80660 9	--	60	14-3/4"	X	18.9
AWSK80672	80607200	HS806072	--	80672 2	--	72	17-5/8"	X	27.2
AWSK80680	80608000	HS806080	--	80680 7	--	80	19-1/2"	X	30.7

\* Number in parenthesis indicates clamshell quantity.

# IDLER SPROCKETS



Agriwell Part No.	SKU Number	PART NUM. BULK	PART NUM. BOX*	UPC ITEM NO. BULK BOX		NUMBER OF TEETH	OUTSIDE DIAM	USE HUB SERIES	BULK WEIGHT (IBS.)
AWSK80901	80441700	HS804417	804417YAU (1)	80901 3	90301 8	40 or 41	17	1/2"	0.44
AWSK80902	80451700	HS804517	--	80902 0	--	40 or 41	17	5/8"	0.44
AWSK80903	80541300	HS805413	--	80903 7	--	50	13	1/2"	0.38
AWSK80904	80551300	HS805513	--	80904 4	--	50	13	5/8"	0.38
AWSK80905	80541500	HS805415	805415YAU (1)	80905 1	90305 6	50	15	1/2"	0.56
AWSK80906	80551500	HS805515	805515YAU (1)	80906 8	90306 3	50	15	5/8"	0.5
AWSK80907	80541700	HS805417	--	80907 5	--	50	17	1/2"	0.69
AWSK80908	80551700	HS805517	--	80908 2	--	50	17	5/8"	0.63
AWSK80909	80641100	HS806411	--	80909 9	--	60	11	1/2"	0.5
AWSK80910	80651100	HS806511	--	80910 5	--	60	11	5/8"	0.5
AWSK80913	80641300	HS806413	--	80913 6	--	60	13	1/2"	0.69
AWSK80911	80651300	HS806513	806513YAU (1)	80911 2	90312 4	60	13	5/8"	0.69

\* Number in parenthesis indicates clamshell quantity.

## EURO BRACKETS



Agriwell Part No.	Description
AWEURO10373	Euro bracket pre-jigged assembly

## EURO BRACKET ASSEMBLY

Agriwell Part No.	Description
AWEURO10372	Euro bracket set LH & RH assembly



## EURO BRACKET SET



Agriwell Part No.	Description
AWEURO10370	Euro bracket hook

## EURO BRACKET HOOK

Agriwell Part No.	Description
AWEURO10371	Euro bracket Eye



# HARROW TEETH



Square, no head



Square, with head



Full diamond, no head



Full diamond, with head




Full diamond, with thread

AGRIWELL PART NUMBER	SKU NUMBER	UPC ITEM NO. 0-87196-	DESCRIPTION	WIDTH	LENGTH	WEIGHT (lbs.)
AWHT56231	S56023100	56231 4	Square, no head	5/8"	8"	0.85
AWHT56232	S56023200	56232 1	Square, with head	5/8"	10"	1.05
AWHT56234	S56023400	56234 5	Square, with head	5/8"	12"	1.25
AWHT56236	S56023600	56236 9	Square, with head	5/8"	14"	1.45
AWHT56240	S56024000	56240 6	Square, no head	3/4"		1.13
AWHT56242	S56024200	56242 0	Square, no head	3/4"		1.25
AWHT56247	S56024700	56247 5	Square, with head	3/4"	11"	1.52
AWHT56249	S56024900	56249 9	Square, with head	3/4"	12"	1.8
AWHT56251	S56025100	56251 2	Square, with head	3/4"	14"	2.1
AWHT56220	S56022000	56220 8	Full diamond, with head	5/8" x 7/8"	8"	0.62
AWHT56221	S56022100	56221 5	Full diamond, no head	5/8" x 7/8"	8"	0.58
AWHT56217	S56021700	56217 8	Full diamond, 1/2" thread	5/8" x 7/8"	8"	0.6
AWHT56216	S56021600	56216 1	Full diamond, 7/16" thread	5/8" x 7/8"	8"	0.6
AWHT56218	S56021800	56218 5	Full diamond, 7/16" thread	5/8" x 7/8"	8-1/2"	0.6

# MISCELLANEOUS FARM ACCESSORIES




Agriwell Part No.	Reference Number	Popular Code	Description	Package Qty.	Weight (lbs.)
AWACC9500	87299500	B1641	Check-chain clevis eye bolt; used to fasten check-chain to lift arms; replaces Ford NCB660A; fits Ferguson 20 & 30; assembled with 9/16" NF hex nut	1	0.4
AWACC9501	87299501	B1642	Check-chain clevis; used to fasten check-chain to tractor; replaces Ford 9N582; fits MF 20, 30, 35, 40 and 50	1	0.1
AWACC9502	87299502	MC100901	Muffler clamp assembly; replaces Ford 9N5251; fits Ford 2N, 8N, 9N, MF 20, 30, 40 and 50	1	0.6
AWACC9504	87299504	AD2582	Drill drag chain; 3-1/2" ring diameter; 1/2" ring thickness; fits most standard seed drills	1	2.1
AWACC1642	-	TL1642A	Category 1 double ball end, 3/4" pin hole, 4-7/16" centers	1	2.0



- Do not exceed working load limit.
- Farm hardware is not for lifting.


Agriwell Part No.	Reference Number	Popular Code	Body Dia ØA (Inches)	Clevis Opening B (Inches)	Usable Length C (Inches)	Pin Dia ØD (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWSTCS9563	87299563	CL490103	5/8"	7/8"	3-1/4"	1/2"	6,000	1	1.50
AWSTCS9564	87299564	CL490104	3/4"	1-5/16"	3-3/4"	5/8"	12,000	1	2.50
AWSTCS9565	87299565	CL490105	7/8"	1-5/16"	3-1/4"	3/4"	16,000	1	3.00
AWSTCS9566	87299566	CL490106	7/8"	1-5/16"	4-1/4"	3/4"	16,000	1	3.60
AWSTCS9567	87299567	CL490107	15/16"	1-7/16"	4-5/8"	7/8"	20,000	1	4.30
AWSTCS9568	87299568	CL490108	1"	2-1/8"	5-5/16"	1"	25,000	1	5.80

# TWISTED CLEVISES



- Do not exceed working load limit.
- Farm hardware is not for lifting.


Agriwell Part No.	Reference Number	Popular Code	Body Dia ØA (Inches)	Clevis Opening B (Inches)	Usable Length C (Inches)	Pin Dia ØD (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWTWCS9571	87299571	CL490203	5/8"	7/8"	3"	1/2"	6,000	1	1.50
AWTWCS9572	87299572	CL490204	3/4"	1-5/16"	3-1/2"	5/8"	12,000	1	2.50
AWTWCS9573	87299573	CL490205	7/8"	1-5/16"	3"	3/4"	16,000	1	3.00
AWTWCS9574	87299574	CL490206	7/8"	1-5/16"	3-7/8"	3/4"	16,000	1	3.60
AWTWCS9575	87299575	CL490207	15/16"	1-7/16"	4-1/4"	7/8"	20,000	1	4.30
AWTWCS9576	87299576	CL490208	1"	2-1/8"	5"	1"	25,000	1	5.80



- Heat-treated replacement pins for all CNH straight and twisted clevises.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Pin Dia ØA (Inches)	Usable Length B (Inches)	Package Qty.	Weight (lbs.)
AWTCP9859	87299859	CL490611	1/2"	2-1/4"	1	0.40
AWTCP9860	87299860	CL490621	5/8"	3-1/8"	1	0.50
AWTCP9861	87299861	CL490631	3/4"	3-1/4"	1	0.70
AWTCP9862	–	CL490641	7/8"	3-3/4"	1	1.20
AWTCP9863	–	CL490651	1"	4-1/4"	1	1.50


## MID-LINKS



- Do not exceed working load limit.
- Farm hardware is not for lifting.


Agriwell Part No.	Reference Number	Popular Code	Chain Size (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWMDLK9601	87299601	CL490501	1/4" or 5/16"	4,700	1	0.30
AWMDLK9602	87299602	CL490502	3/8"	6,600	1	0.40
AWMDLK9603	87299603	CL490503	7/16" or 1/2"	11,300	1	1.00

# UTILITY CLEVISES



➤ Do not exceed working load limit.  
➤ Farm hardware is not for lifting.

Agriwell Part No.	Reference Number	Popular Code	Body Dia ØA (Inches)	Clevis Opening B (Inches)	Usable Length C (Inches)	Pin Dia ØD (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWUTCS9593	87299593	CL490301	1/4"	15/32"	7/8"	5/16"	1,000	1	0.10
AWUTCS9594	87299594	CL490302	5/16"	17/32"	1"	3/8"	1,500	1	0.20
AWUTCS9595	87299595	CL490303	3/8"	21/32"	1-1/4"	7/16"	2,000	1	0.30
AWUTCS9596	87299596	CL490304	7/16"	23/32"	1-1/2"	1/2"	3,000	1	0.40
AWUTCS9597	87299597	CL490305	1/2"	13/16"	1-11/16"	5/8"	6,000	1	0.60
AWUTCS9598	87299598	CL490306	5/8"	1-1/16"	2"	3/4"	9,000	1	1.20



- Screw pin shackle type used for multiple hitches and crawler tractors.
- Do not exceed working load limit.
- Farm hardware is not for lifting.

Agriwell Part No.	Reference Number	Popular Code	Body Dia ØA (Inches)	Clevis Opening B (Inches)	Usable Length C (Inches)	Pin Dia ØD (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWFMCS9580	87299580	CL490401	1/4"	15/32"	1-1/8"	5/16"	1,000	1	0.10
AWFMCS9581	87299581	CL490402	5/16"	17/32"	1-1/4"	3/8"	2,000	1	0.20
AWFMCS9582	87299582	CL490403	3/8"	23/32"	1-7/16"	7/16"	3,000	1	0.30
AWFMCS9583	87299583	CL490404	7/16"	3/4"	1-11/16"	1/2"	4,000	1	0.50
AWFMCS9584	87299584	CL490405	1/2"	13/16"	1-15/16"	5/8"	6,500	1	0.70
AWFMCS9585	87299585	CL490406	5/8"	1-1/16"	2-1/2"	3/4"	9,000	1	1.50
AWFMCS9586	87299586	CL490407	3/4"	1-1/4"	3"	7/8"	13,000	1	2.20
AWFMCS9587	87299587	CL490408	7/8"	1-7/16"	3-1/4"	1"	15,000	1	3.50
AWFMCS9588	87299588	CL490409	1"	1-11/16"	3-3/4"	1-1/8"	17,000	1	5.20
AWFMCS9589	87299589	CL490410	1-1/8"	1-13/16"	4-1/4"	1-1/4"	24,000	1	7.00
AWFMCS9590	87299590	CL490411	1-1/4"	2"	4-1/2"	1-3/8"	28,000	1	9.50

## GENERAL PURPOSE CLEVISES



- Do not exceed working load limit.
- Farm hardware is not for lifting.


Agriwell Part No.	Reference Number	Popular Code	Body Dia ØA (Inches)	Clevis Opening B (Inches)	Usable Length C (Inches)	Pin Dia ØD (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWGPCS9579	87299579	CL490312	3/4"	2-1/2"	6-3/16"	3/4"	10,000	1	3.30

## TRACTOR DRAWBAR GRAB HOOK



- Do not exceed working load limit.
- Farm hardware is not for lifting.

Agriwell Part No.	Reference Number	Popular Code	Description A (Inches)	Working Load Limit (lbs.)	Package Qty.	Weight (lbs.)
AWDHOOK9607	87299607	CL490516	For all tractor drawbars up to 1-5/8" thick; for use with 5/16" to 1/2" chain	9,000	1	3.10



- Precision machined for exact fit.
- Size is stamped on each collar.
- Allen head set screw provided.
- Yellow zinc dichromate plated.

Agriwell Part No.	Reference Number	Popular Code	Bore Dia ØA (Inches)	Outside Dia ØB (Inches)	Width C (Inches)	Set Screw Size	Package Qty.	Bulk Weight (lbs.)
AWHCP6801	LC16801FE	LC1681	1/4"	1/2"	9/32"	10-32 x 1/8	5	0.3
AWHCP6802	LC16802FE	LC1682	5/16"	5/8"	11/32"	10-32 x 1/8	5	0.3
AWHCP6803	LC16803FE	LC1683	3/8"	3/4"	3/8"	1/4-20 x 3/16	5	0.6
AWHCP6804	LC16804F	LC1684	7/16"	7/8"	7/16"	1/4-20 x 1/4	5	0.8
AWHCP6805	LC16805FE	LC1685	1/2"	1"	1/2"	1/4-20 x 1/4	5	1.3
AWHCP6806	—	LC1686	9/16"	1-1/8"	9/16"	1/4-20 x 1/4	5	1.9
AWHCP6807	LC16807FE	LC1687	5/8"	1-1/8"	9/16"	5/16-18 x 1/4	5	1.9
AWHCP6808	LC16808FE	LC1688	11/16"	1-3/8"	5/8"	5/16-18 x 1/4	5	3.2
AWHCP6809	LC16809FE	LC1689	3/4"	1-3/8"	5/8"	5/16-18 x 1/4	5	2.9
AWHCP6811	LC16811FE	LC16811	7/8"	1-1/2"	5/8"	5/16-18 x 5/16	5	3.2
AWHCP6812	LC16812FE	LC16812	15/16"	1-5/8"	5/8"	5/16-18 x 5/16	5	3.8
AWHCP6813	LC16813FE	LC16813	1"	1-5/8"	5/8"	5/16-18 x 5/16	5	3.5
AWHCP6815	LC16815FE	LC16815	1-1/8"	1-3/4"	5/8"	5/16-18 x 5/16	5	3.8
AWHCP6816	LC16816FE	LC16816	1-3/16"	2"	11/16"	3/8-16 x 3/8	5	5.8
AWHCP6817	LC16817FE	LC16817	1-1/4"	2"	11/16"	3/8-16 x 3/8	5	5.7
AWHCP6819	LC16819FE	LC16819	1-3/8"	2-1/8"	3/4"	3/8-16 x 3/8	5	6.7
AWHCP6821	LC16821FE	LC16821	1-1/2"	2-1/4"	3/4"	3/8-16 x 3/8	5	7.4
AWHCP6823	LC16823FE	LC16823	1-3/4"	2-3/4"	7/8"	1/2-13 x 1/2	5	12.2
AWHCP6826	—	LC16826	2"	3"	7/8"	1/2-13 x 1/2	5	14.4

# STEERING WHEEL SPINNER




Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWSWS16851	SS16851	Black Bakelite Knob with Steel Base	0.5
AWSWS16861	SS16861	Aluminum Knob with Chrome Plated Base	0.6
AWSWS16870	SS16870	Blue Vinyl Coated Knob with Chrome Plated Base	0.7
AWSWS16871	SS16871	Black Vinyl Coated Knob with Chrome Plated Base	0.7
AWSWS16872	SS16872	Red Vinyl Coated Knob with Chrome Plated Base	0.7
AWSWS16873	SS16873	Yellow Vinyl Coated Knob with Chrome Plated Base	0.7
AWSWS16874	SS16874	Green Vinyl Coated Knob with Chrome Plated Base	0.7



- Designed to control the stroke on air or hydraulic cylinders.
- Unique "Finger Tab" design on aluminum and steel models for easier installation and removal.
- Clamshell package.

Agriwell Part No.	Reference Number	Popular Code	Description	Segments	Package Qty.	Weight (lbs.)
AWSC9447	87299447	B505456	Fits 1-3/8" & 1-1/2" diameter shafts; aluminum; no finger tabs	3/4", 1", 1-1/4", 1-1/2"	1	1.0
AWSC9448	87299448	B505478	Fits 1-1/8" & 1-1/4" diameter shafts; aluminum; no finger tabs	3/4", 1", 1-1/4", 1-1/2"	1	1.0
AWSC9450	87299450	Hc391030	Fits 1-1/8", 1-1/4", 1-3/8" & 1-1/2" diameter shafts; aluminum; finger tabs	3/4", 1", 1-1/4", 1-1/2"	1	2.0
AWSC9451	87299451	Hc391040	Fits 1-3/4", 1-7/8" & 2" diameter shafts; aluminum; finger tabs	1", 1-1/2", 2", 4"	1	4.0



- Fits most tractors, equipment and engines.
- Opens with the slightest pressure and closes the instant exhaust stops.
- Easy one-bolt installation.
- Gray powder coat finish.

Agriwell Part No.	Reference Number	Popular Code	Minimum ØA (Inches)	Package Qty.	Weight (lbs.)
AWRC9845	87299845	RC16903	1-1/2"	1	0.56
AWRC9846	87299846	RC16904	1-3/4"	1	0.58
AWRC9847	87299847	RC16905	2"	1	0.90
AWRC9848	87299848	RC16906	2-1/4"	1	0.92
AWRC9849	87299849	RC16907	2-1/2"	1	1.01
AWRC9850	87299850	RC16908	2-3/4"	1	1.04
AWRC9851	87299851	RC16909	3"	1	1.08
AWRC9852	87299852	RC16910	3-1/2"	1	1.30
AWRC9853	87299853	RC16911	4"	1	1.60
AWRC9854	87299854	RC16912	4-1/4"	1	1.62
AWRC9855	87299855	RC16913	4-1/2"	1	1.68
AWRC9856	87299856	RC16914	5"	1	1.82



- Screw pin shackle type used for multiple hitches and crawler tractors.
- Do not exceed working load limit.
- Farm hardware is not for lifting.

Agriwell Part No.	Model	Dim. ØA (Inches)	Dim. B (Inches)	Dim. C (Inches)	Clip Style	Max. Capacity S.W.L.	M.B.S.	Weight lbs
AWSDRING01	3/8" D-Ring	3/8"	2-5/8"	2"	A	3,000	–	0.50
AWSDRING02	1/2" D-Ring	1/2"	2-1/4"	2-1/2"	A or B	4,000	12,000	1.00
AWSDRING03	5/8" D-Ring	5/8"	3"	3"	A or B	6,000	19,000	2.00
AWSDRING04	5/8" D-Ring	5/8"	2-3/4"	3-1/2"	A or B	6,000	19,000	2.25
AWSDRING05	3/4" D-Ring	3/4"	3"	3"	A	9,000	27,000	4.25
AWSDRING06	1" D-Ring	1"	3"	3"	A or B	15,000	47,000	4.50
AWSDRING07	1" D-Ring	1"	3"	4"	A or B	15,000	47,000	5.00
AWSDRING08	1" D-Ring Bent at 50	1"	5"	6"	–	15,000	47,000	5.00


## LASHING CLIP FOR D RING (FORGED)

- Screw pin shackle type used for multiple hitches and crawler tractors.
- Do not exceed working load limit.
- Farm hardware is not for lifting.


Agriwell Part No.	Dim. A (Inches)	Dim. B (Inches)	Dim. C (Inches)	Dim. D (Inches)	Weight lbs
AWSClip01F	1-1/8"	2"	3/8"	3/8"	1.00
AWSClip02F	1-1/8"	2-1/4"	1-1/8"	1/2"	1.10
AWSClip03F	3/4"	1-7/8"	3/4"	3/8"	0.66
AWSClip04F	7/8"	1-7/8"	7/8"	3/8"	0.60




# ROTTARY CUTTER WHEELS



Agriwell Part No.	Width A (Inches)	Outer Dia ØB (Inches)	Inner Dia ØC (Inches)
AWSLT01	4"	15"	8"
AWSLT02	3.75"	15"	8"
AWSLT03	4"	15.5"	8"
AWSLT04	5"	15.5"	8"
AWSLT05	4"	14"	8"




**AWSFORK01 – Standard Fork**




Available in Shaft Size  
 $\text{ØD} = 38.10 \text{ mm} \ \& \ 31.75 \text{ mm}$



**AWSFORK02 & LWSFORK03 – Caster Fork (Heavy Duty)**




**AWSFORK04 – ECO Fork**




Available in two sizes T= 6.00 mm & 9.50 mm

## AWSFHB01 & LWSFHB02 – Fabricated Hub



## AWSCHB01 – Casted Hub with Sintered Bushing



## AWSCHB02 – Casted Hub with Taper Roller Bearings

- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Yellow Color / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWS379720	----	New Holland Sampo Clayson	RV0498838 80379720 379720	1.92

**Models:**  
New Holland, Sampo, Clayson



- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Varnish / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWS676235	----	Class	676235	2.04

**Models:**  
Class

- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Black Color / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWS44104500	----	Massey Ferguson Case I/H	44104500 44102900	1.59

**Models:**  
Massey Ferguson, Case I/H



# DOUBLE PRONG GUARDS



- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Red Color / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWSBU215A	BU215A	Badger Northland Case I/H Hesston Massey Ferguson New Holland New Holland	683994 M1 700707147 700707147 / 700716292 683476 M1 / 683994 M1 219191 / 858778 / 86521587 86553340 / 86615982	1.71

**Models:**

Badger Northland Mower Conditioner Series – All 1978  
 Massey Ferguson Mower Conditioner Series – 655,675,775  
 New Holland Windrower Series - All

- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Red Color / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWSBU218	BU218	New Holland MacDon	219190 23014	1.71

**Models:**

New Holland Mower Series - All




- Material C-45/SAE-1045
- Induction Hardened Cutting Edge.
- Red Color / as per Customer's Choice.

Agriwell Part No.	Reference Number	OEM Name	OEM Number	Weight (lbs.)
AWS321115050	----	LAVERDA	321115050	1.72

**Models:**

LAVERDA



➤ Finish Auto Black or as per customer's requirement.

Agriwell Part No.	Dim. A (mm)	Dia $\varnothing B$ (mm)	Dim. C (mm)	Dia $\varnothing D$ (Inches)	Dim. E (mm)	Dia $\varnothing F$ (mm)
AWCB001	98.5	76.2	41.2	1-1/4"	34.8	51
AWCB002	92	76.2	34.8	1-1/4"	34.8	51

# WHEEL SPINNER ASSORTMENTS



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS280324	DA280324	Aluminum Knob , 12-Pack Display	7.8
AWS280325	DA280325	Bakelite Knob, 12-Pack Display	6.6
AWS280327	DA280327	Red Vinyl Coated Knob, 12-Pack Display	7.8
AWS280328	DA280328	Green Vinyl Coated Knob, 12-Pack Display	7.8
AWS280329	DA280329	Black Vinyl Coated Knob, 12-Pack Display	7.8
AWS280330	DA280330	Blue Vinyl Coated Knob, 12-Pack Display	7.8
AWS280331	DA280331	Yellow Vinyl Coated Knob, 12-Pack Display	7.8
AWS280332	DA280332	Mixed Color Assortment, 12-Pack Display 3-Red, 3-Green, 2-Blue, 2-Yellow, 2-Black	7.8

# LYNCH PIN ASSORTMENTS



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS280301	DA280301	Lynch pin assortment counter top display; contains 15-P7915, 15-P7919, 20-P7913, 30-P791, 15-P792, 30-P794 and 10-P798	14
AWS280297	DA280297	7/16" lynch pin display carton; contains 150-P791	16.3
AWS280298	DA280298	1/4" lynch pin display carton; contains 150-P794	11.6
AWS280299	DA280299	7/16" heavy duty lynch pin display carton; contains 100-P7913	30
AWS280300	DA280300	7/16" lynch pin with chain display carton; contains 100-P792	16

# HITCH BALL ASSORTMENT



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS280317	DA280317	Hitch ball assortment in counter top display carton; contains 4-HB100504, 3-HB100604, 3-HB100608 and 2-HB100703	29



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS280310	DA280310	Hitch pin clip counter top display assortment; contains 50-P7923, 30-P7924, 30-P7925, 20-P7927, 30-P7929S, 10-P7928 and 10-P793	11.7
AWS280306	DA280306 (P7981)	Hitch pin clip assortment in plastic box; contains 20-P7922, 30-P7923, 20-P7924, 20-P7925, 8-P7927 and 5-P7929S	3.7
AWS7980ZNU	P7980ZNU	Hitch pin clip assortment in 5" x 7" poly bag; contains 3-P7923, 4-P7924, 4-P7925 and 3-P7927	0.40
AWS7980YNU	P7980YNU	Hitch pin clip assortment in plastic blister box; contains 3-P7923, 4-P7924, 4-P7925 and 3-P7927	0.40

## BUSHING ASSORTMENTSS



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS852ZCU	B852ZCU	Cat. 1-2 bushing assortment in poly bag; contains 2-B821 lift arm bushing and 1-B831 top link bushing	0.50
AWS852YCU	B852YCU	Cat. 1-2 bushing assortment in plastic blister box; contains 2-B821 lift arm bushings and 1-B831 top link bushing	0.60
AWS865ZCU	B865ZCU	Cat. 2-3 bushing assortment in poly bag; contains 2-B832 list arm bushings and 1-B833 top link bushing	0.80
AWS865YCU	B865YCU	Cat. 2-3 bushing assortment in plastic blister box; contains 2-B832 lift arm bushings and 1-B833 top link bushing	0.90
AWS280304	DA280304	Bushing assortment in counter top display carton with emphasis on category 1-2; contains 10-B8311, 28-B821, 6-B833, 6-B832 and 4-B8312 bushings	12.50
AWS280303	DA280303	Bushing assortment in counter top display carton with emphasis on category 2-3; contains 8-B831, 14-B821, 6-B833, 10-B832 and 10-B8312 bushings	13.00

## CLEVIS PIN ASSORTMENT



Agriwell Part No.	Popular Code	Description	Weight (lbs.)
AWS280311	DA280311	Universal clevis pin counter top display assortment; contains 40-P7411, 40-P7412, 40-P7413, 40-P7414, 40-P7415, 20-P7416, 20-P7417 and 20-P7419	21.5



**Manufacturers & Exporters of:**  
**Tractor Linkage Parts & Agriculture Implements Parts**

---

📍 # 2345/2A/1, Industrial Area Jugiana, Ludhiana-141017, Punjab, INDIA.

🌐 [www.agriwellspares.com](http://www.agriwellspares.com) | 📞 +91 98146 14441